नगर दररेट ,तानसेन नगरपालिका
पाल्पा

आ.व. २०७९/२०८०

दररेट निर्धारण समिति तानसेन नगरपालिका , पाल्पा

आज मिति २०७९।०३।१५ गतेका दिन स्थानिय सरकार संचालन ऐन २०७४ दफा १३ बमोजिम तानसेन नगरपालिका नगर दररेट निर्धारण समितिका संयोजक श्री ~~मेचर~~ मेजर सिंह के.सी को संयोजकत्वमा तपसील समितिका सदस्यहरु लगायत अन्य आमन्त्रितहरुको उपस्थितीमा आ.ब. २०७९।०८० को लागि यस तानसेन नगरपालिका क्षेत्रभित्र संचालन हुने पूर्वाधार विकास आयोजना तथा अन्य सेवा प्रयोजनको लागि विभिन्न निर्माण सामाग्री, दैनिक ज्यालादर, ढुवानी हरुको न्यूनतम दररेट निर्धारण गर्न बैठक बसी छलफल भई निम्नुसारको निर्णय गरीयो ।

उपस्थिती :

नाम, थर	कार्यालय, पद	दस्तखत
१. ~~मेचर~~ मेजर सिंह के.सी	संयोजक (वडा अध्यक्ष,नगरकार्यपालिका सदस्य)	
२. लक्ष्मी नेपाल	सदस्य (नगरकार्यपालिका सदस्य)	
३.	सदस्य (जिल्ला प्रशासन कार्यालय)	
४.	सदस्य (कोष तथा लेखा नियन्त्रकको कार्यालय)	
५. निरन्जन शर्मा अर्याल	सदस्य (प्रमुख, सडक डिभिजन कार्यालय)	
६. राजु महर्जन	सदस्य (अध्यक्ष, पाल्पा उद्योग बणिज्य संघ)	
७. थानेश्वर गैरे	सदस्य (अध्यक्ष, पाल्पा व्यापार संघ)	
८. बरुण श्रेष्ठ	सदस्य (अध्यक्ष, निर्माण व्यवसायी संघ)	
९. राम प्रसाद श्रेष्ठ	सदस्य सचिव (ता.न.पा. पूर्वाधार शाखा)	

आमन्त्रितहरु

१. सन्तोष लाल श्रेष्ठ	नगर प्रमख	
२ पिताम्बर पाण्डे	प्र. प्र .अ.	
३. शिव शर्मा	इन्जिनियर (ता.न.पा. पूर्वाधार शाखा)	
४. दिनेश गंधर्ब	कार्यपलिका सदस्य	

५. राम बहादुर रावल		वार्ड न ५ अध्यक्ष

६ .टुक प्रसाद भट्टराई		वार्ड न १३ अध्यक्ष

७ .कोशल राज घिमिरे		आ. प्र. प्र

८ .सुनीता भण्डारी		सब- इन्जिनियर

निर्णयहरु :

१. स्थानिय सरकार संचालन ऐन २०७४ दफा १३ बमोजिम आ.ब. २०७९।८० को लागि यस तानसेन नगरपालिका क्षेत्रभित्र संचालन हुने पूर्वाधार विकास आयोजना तथा अन्य सेवा प्रयोजनको लागि विभिन्न दैनिक ज्यालादर, निर्माण सामाग्री, ढुवानी हरुको न्यूनतम दररेट निर्धारण सम्बन्धमा जिल्लाको सम्पूर्ण निर्माण सामग्रीहरुको बजार सर्वेक्षण गरि न्यूनतम नगर दररेटको विस्तृत अध्ययन गरी आगामी मिति २०७९।०३।३१ गते बस्ने बैठकमा पेश गर्ने निर्णय गरीयो ।

आज मिति २०७९।०३।३१ गतेका दिन स्थानिय सरकार संचालन ऐन २०७४ दफा १३ बमोजिम तानसेन नगरपालिका नगर दररेट निर्धारण समितिका संयोजक श्री ~~मेयर~~ मेजर सिंह के.सी को संयोजकत्वमा तपसील समितिका सदस्यहरु लगायत अन्य आमन्त्रितहरुको उपस्थितीमा आ.ब. २०७९।०८० को लागि यस तानसेन नगरपालिका क्षेत्रभित्र संचालन हुने पूर्वाधार विकास आयोजना तथा अन्य सेवा प्रयोजनको लागि विभिन्न निर्माण सामाग्री, दैनिक ज्यालादर, ढुवानी हरुको न्यूनतम दररेट निर्धारण गर्न बैठक बसी छलफल भई निम्नुसारको निर्णय गरीयो ।

नाम, थर	कार्यालय, पद	दस्तखत
१. ~~मेयर~~ मेजा सिंह के.सी	संयोजक (वडा अध्यक्ष,नगरकार्यपालिका सदस्य)	
२. लक्ष्मी नेपाल	सदस्य (नगरकार्यपालिका सदस्य)	
३.	सदस्य (जिल्ला प्रशासन कार्यालय)	
४.	सदस्य (कोष तथा लेखा नियन्त्रकको कार्यालय)	
५. निरन्जन शर्मा अर्याल	सदस्य (प्रमुख, सडक डिभिजन कार्यालय)	
६. राजु महर्जन	सदस्य (अध्यक्ष, पाल्पा उद्योग बणिज्य संघ)	
७. थानेश्वर गैरे	सदस्य (अध्यक्ष, पाल्पा व्यापार संघ)	थानेश्वर
८. बरुण श्रेष्ठ	सदस्य (अध्यक्ष, निर्माण व्यवसायी संघ)	
९. राम प्रसाद श्रेष्ठ	सदस्य सचिव (ता.न.पा. पूर्वाधार शाखा)	

आमन्त्रितहरु

१. प्रतिक्षा गाहा सिंजाली	नगर उप प्रमुख	
२ पिताम्बर पाण्डे	प्र. प्र .अ.	
८ .सुनीता भण्डारी	सब- इन्जिनियर	

निर्णयहरु :

१. स्थानिय सरकार संचालन ऐन २०७४ दफा १३ बमोजिम आ.व. २०७९।०८० को लागि यस तानसेन नगरपालिका क्षेत्रभित्र संचालन हुने पूर्वाधार विकास आयोजना तथा अन्य सेवा प्रयोजनको लागि विभिन्न निर्माण सामाग्री, दैनिक ज्यालादर, ढुवानी हरुको न्यूनतम दररेट निर्धारण सम्बन्धमा छलफल भई आए बमोजिम तपसीलको दररेटलाई आ.व. २०७९।०८० लागि न्यूनतम नगर दररेट को रुपमा निर्धारण गर्न तानसेन नगरपालिका नगरकार्यपालिकामा सिफारीस गर्ने निर्णय गरीयो ।

सं.	ज्यामी/ढुवानी दर रेटको विवरण	प्रति इकाई	आ.व. ०७७/७८ स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
क्र.	ज्याला दर रेट					
१	ज्यामी साधारण(अदक्ष), चौकिदार	व्यक्ति/दिन	६६०.०	६८०	७१५	३५
२	कुल्ली नाइके(मेठ)	व्यक्ति/दिन	६६५.०	६८५	७२०	३५
३	सिकर्मी,डकर्मी,नकर्मी,वज्रकर्मी,चित्रकारी,प्लम्वर,आराकसी	व्यक्ति/दिन	८८०.०	९००	९४५	४५
४	सर्भे हेल्पर(अर्द्धदक्ष)/ल्याव ब्वाय	व्यक्ति/दिन	७४५.०	७६७	८०५	३८
५	ड्रिलर, विषादी औषधीको काम गर्ने ज्यामी	व्यक्ति/दिन	७००.०	७२१	७५७	३६
६	नर्सरी नाइके/वन हेरालु	व्यक्ति/महिना	१५०००.०	१५०००	१५७५०	
७	इन्जिनियर	व्यक्ति/दिन	१२००.०	१२६५	उपरोक्त पदहरुमा ज्यालादारीमा काम गराउने भएमा जुन पदमा काम गराउने हो सो को नेपाल सरकारको शुरु तलब मानलाई आधार मानी प्रतिदिनको ज्याला कायम गर्ने ।	
८	सव-इन्जिनियर	व्यक्ति/दिन	९४०.०	१००५		
९	असिस्टेन्ट सव-इन्जिनियर	व्यक्ति/दिन	८८७.०	९५०		
१०	सुपरभाइजर सामान्य/खा.पा.स.टे (एस.एल.सी.उत्तीर्ण)	व्यक्ति/दिन	८८७.०	९५०		
११	डोजर अपरेटर	व्यक्ति/दिन	१०२५.०	१०९०		
१२	हलुका सवारी चालक	व्यक्ति/दिन	७५०.०	८१५		
१३	भारी सवारी चालक	व्यक्ति/दिन	८२०.०	८८५		
१४	सर्भेक्षक	व्यक्ति/दिन	९४०.०	१००५		
१५	अमिन	व्यक्ति/दिन	८८७.०	९५०		
१६	नापि कामदार (दक्ष)	व्यक्ति/दिन	७००.०	७६५	८०३	
१७	ब्लाष्टर	व्यक्ति/दिन	८८०.०	९४०	९८७	
१८	डोजर हेल्पर, स्टाफ मेन, रेन्जिङ्ग मेन, दुरी संभार कर्ता	व्यक्ति/दिन	६७०.०	७३५	७७२	
१९	इलेक्ट्रिसियन(हाउस वायरिङ्ग गर्ने),हाइटेन्सन/लोटेंन्सन/ओभरहेडमा काम गर्ने दक्ष मिस्त्री, विद्युत दक्ष, सिनियर मेकानिक्स	व्यक्ति/दिन	८८०.०	९४५	९९२	
२०	मेतर, भरिया, विद्युत अर्द्धदक्ष	व्यक्ति/दिन	६८५.०	७५०	७८८	

क्र.सं.	ज्यामी/ढुवानी दर रेटको विवरण	प्रति इकाई	आ.व. ०७७/७८ स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
२१	क्याम्प वर्कर, स्याम्पलर/टनेल, माइनिङ सर्भे हेल्पर	व्यक्ति/दिन	६६०.०	७२५	७६१	
ख.	ढुवानी दर रेट					
१	ट्रकबाट पिच बाटोमा ढुवानी(सजिलो सामान)	क्वी./कि.मी.	२.२	२.४	२.७	
२	ट्रकबाट पिच बाटोमा ढुवानी(असजिलो सामान)	क्वी./कि.मी.	२.९	३.१	३.५	
३	ट्रकबाट कच्ची बाटोमा ढुवानी(सजिलो सामान)	क्वी./कि.मी.	३.१	३.४	३.७	
४	ट्रकबाट कच्ची बाटोमा ढुवानी(असजिलो सामान)	क्वी./कि.मी.	३.७	४.१	४.५	
५	ट्रेक्टरबाट पिच बाटोमा ढुवानी(सजिलो सामान)	क्वी./कि.मी.	२.४	२.७	२.९	
६	ट्रेक्टरबाट पिच बाटोमा ढुवानी(असजिलो सामान)	क्वी./कि.मी.	३.७	४.१	४.५	
७	ट्रेक्टरबाट कच्ची बाटोमा ढुवानी(सजिलो सामान)	क्वी./कि.मी.	३.४	३.७	४.१	
८	ट्रेक्टरबाट कच्ची बाटोमा ढुवानी(असजिलो सामान)	क्वी./कि.मी.	४.१	४.५	४.९	
९	ट्रेक्टरबाट पिच बाटोमा ढुवानी(जि आइ तथा एच डि पी पाइप तथा ग्याविन जाली)	क्वी./कि.मी.	१५.०	१६.५	१८.१	
१०	ट्रेक्टरबाट कच्ची बाटोमा ढुवानी(जि आइ तथा एच डि पी पाइप तथा ग्याविन जाली)	क्वी./कि.मी.	२१.३	२३.४	२५.७	
११	ट्रेक्टरबाट पिच बाटोमा ढुवानी(एच डि पी पाइप ६३ एम एम भन्दा मुनि)	क्वी./कि.मी.	१६.५	१८.२	२०.०	
१२	ट्रेक्टरबाट कच्ची बाटोमा ढुवानी(एच डि पी पाइप ६३ एम एम भन्दा मुनि)	क्वी./कि.मी.	२३.१	२५.४	२८.०	
१३	पैदल सजिलो सामान ढुवानी	के.जी./कोष	३.४	३.७	३.७	
१४	पैदल असजिलो सामान ढुवानी	के.जी./कोष	४.३	४.७	४.७	
१५	ह्युम पाइप ढुवानी					
	० देखि ५० कि. मी. दुरी सम्मको			१५ प्रतिशत खरिद मुल्यको	१५ प्रतिशत खरिद मुल्यको	
	५० देखि १०० कि. मी. दुरी सम्मको			२० प्रतिशत खरिद मुल्यको	२० प्रतिशत खरिद मुल्यको	
	१०० देखि २०० कि. मी. दुरी सम्मको			२५ प्रतिशत खरिद मुल्यको	२५ प्रतिशत खरिद मुल्यको	
	200 देखि ३०० कि. मी. दुरी सम्मको			३० प्रतिशत खरिद मुल्यको	३० प्रतिशत खरिद मुल्यको	
१६	विटुमिन १६५ के.जी. ट्रकमा लोड	प्रति ड्रम	६१.०	६१.०	६१.०	
१७	विटुमिन १६५ के.जी. ट्रकमा अनलोड	प्रति ड्रम	३८.०	३८.०	३८.०	
१८	सिमेन्टको बोरा लोड/अनलोड	बोरा	९.५	७.०	७.०	
१९	पोल ढुवानी					
१९.१	८-९ मिटर लामो काठ वा स्टिलको पोल ढुवानी	गोटा/कि.मी.	२३.५	१५.०	१६.५०	
१९.२	८-९ मिटर लामो पि.एस.सि (आर.सि.सि) पोल ढूवानी	गोटा/कि.मी.	२८.५	१६.०	१७.६०	
१९.३	१०-११ मिटर लामो स्टिलको पोल ढुवानी	गोटा/कि.मी.	२४.५	१७.०	१८.७०	
१९.४	कंक्रिट मिक्सर (लिफ्ट भएको)	प्रति घण्टा	८००.०	८००.०	८८०.०	
१९.५	कंक्रिट मिक्सर (लिफ्ट नभएको)	प्रति घण्टा	७००.०	७००.०	७७०.०	
१९.६	ट्रान्सफर्मर ढुवानी	गोटा/कि.मी		५००	५५०.०	
१९.६.१	११ के.भि. ट्रान्सफर्मर लोड	गोटा		२१००	२३१०.०	
१९.६.२	११ के.भि. ट्रान्सफर्मर अनलोड	गोटा		२१००	२३१०.०	
१९.६.३	३३ के.भि. ट्रान्सफर्मर लोड	गोटा		३०००	३३००.०	

क.सं.	ज्यामी/ढुवानी दर रेटको विवरण	प्रति इकाई	आ.व. ०७७/७८ स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
१९.६.४	३३ के.भि. ट्रान्सफर्मर अनलोड	गोटा		३०००	३३००.०	
१९.७	पि.एस.सि. (आर.सि.सि)					
१९.७.१	पि.एस.सि. पोल लोड	गोटा		२३०	२३०	
१९.७.२	पि.एस.सि. पोल अनलोड	गोटा		२३०	२३०	
१९.८	स्टील ट्युबुलर पोल					
१९.८.१	स्टील ट्युबुलर पोल लोड	गोटा		८९	९७	
१९.८.२	स्टील ट्युबुलर पोल अनलोड	गोटा		८९	९७	
१९.९	ए.सि.एस.आर. तार					
१९.९.१	ए.सि.एस.आर. तार लोड	/कि.मी.		४००	४००	
१९.९.२	ए.सि.एस.आर. तार अनलोड	/कि.मी.		३५०	३५०	
१९.१०	विद्युतिय सामाग्री लोड र अनलोड	/के.जि.			४०	
२०	**सुन्तलाजात फलफुल विकास केन्द्र**					
२०.१	७"x९" पोलीब्यागमा राखेको बिरुवा १-१.५ के.जी (१ जनाले २५-३० वटा बोक्न सक्ने)	के.जी./कि.मी.			३.७	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
क	**Heavy Equipments (the usage rates includes cost of repairs, maintance, rrunning and operation charge which includes crew, fuel and lubrication)**				
१	Air compressor /compressor with pneumatic breaker	per hour		1182	
२	Asphalt Plant (Batch mix HMP/Drum mix plant/Hot Mix Plant)	per hour		32979	
३	Batching Plant	per hour		1721	
४	Bentonite pump	per hour		56	
५	Bitumen boiler	per hour		1122	
६	Bitumen pressure distributor/Bitumen Distributor/ Bitumen Sprayer	per hour		2747	
७	Chip spreader	per hour		1404	
८	Cold mix plant	per hour		1315	
९	Concrete Pump	per hour		595	
१०	Crane	per hour		3024	
११	Crane (3 T)	per hour		1943	
१२	Crane 15 t capacity	per hour		4019	
१३	Crane with grab bucket/dredger crane	per hour		2727	
१४	Dozer	per hour		4372	
१५	Drilling machine with bit and accessories	per hour		415	
१६	Electric generator	per hour		818	
१७	Electric hand driller (HDEP work)	per hour		125	
१८	Electric heating plate	per hour		91	
१९	Emulsion pressure distributor	per hour		252	
२०	Excavator	per hour		3291	
२१	Grout Injection Equipment	per hour		131	
२२	Grouting pump with agitator	per hour		268	
२३	Hacking Machine	per hour		282	
२४	Hydraulic Jack (40 tonne capacity)	per hour		165	
२५	Hydraulic Jack (required capacity normally 200 tonne)	per hour		394	
२६	Jack hammer /Rock drill / Portable rock driller	per hour		279	
२७	Loader	per hour		2430	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
२८	Mastic cooker	per hour		573	
२९	Mixture machine/Concrete Mixture Machine	per hour		339	
३०	Mobile slurry seal equipment	per hour		1292	
३१	Motor grader	per hour		2973	
३२	Paver finisher	per hour		2288	
३३	Piling rig (with all accessories)	per hour		3369	
३४	Plate compactor/power rammer	per hour		323	
३५	Pneumatic roller/Pneumatic tired roller	per hour		2168	
३६	Premix Mixer	per hour		3924	
३७	Road marking machine	per hour		320	
३८	Road sweeper/Mechanical broom	per hour		1400	
३९	Screw Jack	per hour		53	
४०	Smooth wheeled roller/Smooth 3 wheeled steel roller	per hour		1074	
४१	Stressing jack with pump	per hour		142	
४२	Tipper	per hour		1294	
४३	Tractor with ripper attachment/Tractor Trolly	per hour		851	
४४	Truck flat body/Trailer	per hour		2412	
४५	Vibratory roller	per hour		1823	
४६	Water Tanker	per hour		1099	
४७	Wet mix plant	per hour		930	
४८	Cutter(Bitumen Pavement/RCC Cutter)	per hour		375	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
१	सिमेन्ट					
१.१	नेपाली सिमेन्ट ,५० के.जी.ओ पि सी	बोरा	७५२	६१८	६१८	
१.२	नेपाली सिमेन्ट ५० के.जी. पि पि सी	बोरा	६६४	५३५	५३५	
१.३	सेतो सिमेन्ट	के.जी.	३५	५०	५०	
१.४	सिलिका सिमेन्ट admixture	के.जी.	३५०	३५०	३५०	
२	बालुवा					
२.१	बालुवा (धोएको) crusher	घ.मी.	३४००	३४००	३४००	
२.२	बालुवा (स्थानीय)	घ.मी.	१७००	१७००	१७००	
२.३	बालुवा (रामपुर क्षेत्र भित्र)	घ.मी.	१३००	१३००	१३००	
२.४	ग्राबल (स्थानीय)	घ.मी.	११००	११००	११००	
३	गिट्टी					
३.१	<२० एम.एम.साइजको(फोरुवा/कसरको)	घ.मी.	३४००	३४००	३४००	
३.२	२०-४० एम.एम.साइजका(फोरुवा/कसरको)	घ.मी.	३३००	३३००	३३००	
३.३	गिट्टी ४० एम.एम.साइज सम्मको (स्थानीय) खोलाको	घ.मी.	१७००	१७००	१७००	
३.४	स्टोन डस्ट	घ.मी.	२३५०	२३५०	२३५०	
३.५	सब बेस ६३ एम.एम डाउन	घ.मी.	२०००	२०००	२०००	
४	फलामे छड तथा तार फलामे छड (टी.एम.टी र टोर स्टिल)					
४.१	४-८ एम.एम.साइज	के.जी.	७६	७६	९४	
४.२	१०-२५ एम.एम.साइज	के.जी.	७५	७५	९२	
४.३	२५ एम.एम.साइजभन्दा माथि	के.जी.	७५	७५	९२	
४.४	बाइण्डीङ्ग तार	के.जी.	९५	९५	१०७	
४.५	W Beam क्रयास बेरियर ३ मि.मि.	र.मी.	४७००	४८००	४८००	
४.६	H.T. Strand (Prestressing multistrand cables, each comprising 19 mono-strand of 12.7 mm dia. 7-ply low relaxation, Class-II, HTS tendons)	मे.टन	१३१०००	१३२०००	१३२०००	
४.७	Corrugated HDPE sheathing duct	र.मी.	३००	३०५	३०५	
४.८	Tube anchorage set complete with bearing plate, permanent wedge etc.	गोटा	५४००	५४००	५४००	
५	काठ					
५.१	साल काठ चिरान समेतको	घ.मी.	१६८०००	१७००००	१८७०००	
५.२	सिसौ काठ चिरान समेतको	घ.मी.	९५०००	९५०००	१०४५००	
५.३	अन्य कु काठ चिरान समेतको	घ.मी.	४२०००	४२०००	४६२००	
६	ईटा चिम्नी भट्टाको					
६.१	प्रथम श्रेणी	हजार	१५७५०	१५७५०	१५७५०	
६.२	चाइनिज मेसिनमेड	हजार	१५७५०	१५७५०	१५७५०	
६.३	टुका ईटा	घ.मी.	५२००	५२००	५२००	
६.४	सुर्खी	घ.मी.	३२५०	३२५०	३२५०	
६.५	स्थानीय लोकल ईटा चिम्नीमा पकाएको (रामपुर क्षेत्र)	हजार	१३५००	१३५००	१३५००	
६.६	स्थानीय लोकल ईटा (रामपुर क्षेत्र)	हजार	९५००	९५००	९५००	
७	ढुंगा					
७.१	फोरुवा(ब्लक स्टोन साइज)	घ.मी.	२४५०	२४५०	२४५०	
७.२	बण्ड स्टोन	घ.मी.	२५००	२५००	२५००	
८	माटो (गारोको जोडाइमा प्रयोग हुने)	घ.मी.	३००	३००	३००	
९	कर्कट पाता (नेपाल स्टेण्डर्ड) सादा					
९.१	२४ गेज हेभि (०.५२ एम.एम.)	बण्डल	११६७२	११६७२	१२२५६	

क्र.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
९.२	२४ गेज मेडियम (०.५० एम.एम.)	बण्डल	११२८८	११२८८	११८५२	
९.३	२४ गेज लाइट (०.४५ एम.एम.)	बण्डल	९८१०	९८१०	१०३०१	
९.४	२६ गेज हेभि (०.४१ एम.एम.)	बण्डल	९४३२	९४३२	९९०४	
९.५	२६ गेज मिडियम (०.३८ एम.एम.)	बण्डल	८६७५	८६७५	९१०९	
९.६	२६ गेज लाइट (०.३५ एम.एम.)	बण्डल	८२८४	८२८४	८६९८	
९.७	२८ गेज हेभि (०.३१ एम.एम.)	बण्डल	७४८४	७४८४	७८५८	
९.८	२८ गेज मिडियम (०.२८ एम.एम.)	बण्डल	६८७४	६८७४	७२१८	
९.९	२८ गेज लाइट (०.२६ एम.एम.)	बण्डल	६४५९	६४५९	६७८२	
	कर्कट पाता (नेपाल स्टेण्डर्ड) रंगीन					
९.१०	२४ गेज हेभि (०.५२ एम.एम.)	बण्डल	१३९७४	१३९७४	१४६७३	
९.११	२४ गेज मेडियम (०.५० एम.एम.)	बण्डल	१३५२९	१३५२९	१४२०५	
९.१२	२४ गेज लाइट (०.४५ एम.एम.)	बण्डल	१२४२४	१२४२४	१३०४५	
९.१३	२६ गेज हेभि (०.४१ एम.एम.)	बण्डल	११३१९	११३१९	११८८५	
९.१४	२६ गेज मिडियम (०.३८ एम.एम.)	बण्डल	१०७८१	१०७८१	११३२१	
९.१५	२६ गेज लाइट (०.३५ एम.एम.)	बण्डल	१०२८१	१०२८१	१०७९५	
९.१६	२८ गेज हेभि (०.३१ एम.एम.)	बण्डल	९३२८	९३२८	९७९५	
९.१७	२८ गेज मिडियम (०.२८ एम.एम.)	बण्डल	८७००	८७००	९१३५	
९.१८	२८ गेज लाइट (०.२६ एम.एम.)	बण्डल	८२४२	८२४२	८६५४	
९.१९	H-Span जस्ता पाता (३८ देखी ४३ एम एम ४५ इन्च चौडाइ भएको)	बण्डल			१८०५८	
९.२०	Transparent Palstic Roofing Sheet 3mm thk.	बण्डल			१६२००	
९.२१	EPS (Expanded Polystyrene) and Cement based Light Weight SandWich Panel with 4.5mm thick Calcium Silicate Board (Non-Asbestos) as face Board on both sides (Size 2270x610mm). EPS, Sand and cement are inner core material wherease Foam, 6 inch nails and metalic hooking (U& L) and Joint Treatment with Fiber Mesh.					
	50mm thickness	व.मी			२१५२	
	60mm thickness	व.मी			२९५९	
	75mm thickness	व.मी			३५४१	
	90mm thickness	व.मी			४१४३	
	120mm thickness	व.मी			५००३	
१०	प्लेन सीट (नेपाल स्टेण्डर्ड)					
१०.१	२४ गेजको(सादा)(३' x ८' साइजको)	गोटा	१३१०	१३१०	१३७५	
१०.२	२६ गेजको(सादा)(३' x ८' साइजको)	गोटा	१२०९	१२०९	१२६९	
१०.३	२८ गेजको(रंगीन)(३' x ८' साइजको)	गोटा	८४६	८४६	८८८	
११	शिशा तथा ऐना					
११.१	३ एम.एम.	व.मी	६३०	६३०	६३०	
११.२	४ एम.एम.	व.मी	७३५	७३५	७३५	
११.३	५ एम.एम.	व.मी	९४५	९४५	९४५	
१२	प्लाईउड कमर्सियल/सनमाइका					
१२.१	३ एम.एम. प्लाईउड कमर्सियल	व.मी	२०५	२०५	२०५	
१२.२	४ एम.एम. प्लाईउड कमर्सियल	व.मी	२६०	२६०	२६०	
१२.३	६ एम.एम. प्लाईउड कमर्सियल	व.मी	३६८	३६८	३६८	
१२.४	१० एम.एम. प्लाईउड कमर्सियल	व.मी	७६०	७६०	७६०	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
१२.५	१२ एम.एम. प्लाईउड कमर्सियल	व.मी	८१०	८१०	८१०	
१२.६	टिक प्लाई	व.मी	३६०	३६०	३६०	
१२.७	सनमाइका	व.मी	२००	२००	२००	
१२.८	फोरमाइका	व.मी	३४०	३४०	३४०	
१२.९	Readymade Door					
	Plain 25 mm	व.मी	१८००	१८००	१८००	
	Plain 32 mm	व.मी	२०००	२०००	२०००	
	Teak 25mm	व.मी	१९००	१९००	१९००	
	Teak 32mm	व.मी	२३००	२३००	२३००	
	Flush Design 25mm	व.मी	३५००	३५००	३५००	
	Flush Design 32mm	व.मी	४०००	४०००	४०००	
१३	जाली (वायरमेस)					
१३.१	लामखुट्टे जाली (अल्मुनियम)	व.मी	२३०	२३०	२५३	
	लामखुट्टे जाली (स्टील)	व.मी	३५०	३५०	३८५	
१३.२	कुखुरे जाली	के.जी.	१९०	१९०	२०९	
१३.३	बालुवा चाल्ने जाली	व.मी	१९२	१९२	२११	
१३.४	गिट्टी चाल्ने जाली	व.मी	१९५	१९५	२१५	
१३.५	जाली (एक्सपेण्डेड मेटल)	व.मी	२२५	२२५	२४८	
१४	नट वोल्ट, हुक, वासर, किला					
१४.१	८-१२ एम.एम.नट वोल्ट	के.जी.	१९०	२००	२२०	
१४.२	८ एम.एम.साइजको जे वा एल हुक	के.जी.	१५०	१६०	१७६	
१४.३	विटुमिन वासर	गोटा	१	१	१	
१४.४	पैसे वासर	के.जी.	१३०	१३०	१४३	
१४.५	कर्कटपाता ठोक्ने काटी	के.जी.	१४०	१४०	१५४	
१४.६	विभिन्न साइजको फलामे कीला	के.जी.	१००	११०	१२१	
१५	डोर स्प्रीङ, क्लोजर, कब्जा, छेस्कीनी, हेण्डल					
१५.१	डोर स्प्रीङ साधारण	गोटा	१५०	१५०	१६५	
१५.२	क्लोजर	गोटा	२२१	२२१	२४३	
	क्लोजर (hydraulic)	गोटा	८१४	८१४	८९६	
१५.३	३" कब्जा	गोटा	१७	१७	१९	
१५.४	४" कब्जा	गोटा	२५	२५	२८	
१५.५	५" कब्जा	गोटा	४०	४०	४४	
१५.६	४" छेस्कीनी	गोटा	३०	३०	३३	
१५.७	६" छेस्कीनी	गोटा	१७	१७	१९	
१५.८	१२" छेस्कीनी	गोटा	१७	१७	१९	
१५.९	४" छेस्कीनी (स्टिल)	गोटा	१३०	१३०	१४३	
१५.१०	६" छेस्कीनी (स्टिल)	गोटा	१६५	१६५	१८२	
१५.११	१२" छेस्कीनी (स्टिल)	गोटा	२२०	२२०	२४२	
१५.१२	६" फलामे हेण्डल (साधारण)	गोटा	३२	३२	३५	
१५.१३	६" फलामे हेण्डल (स्पेशल)	गोटा	८०	८०	८८	
१५.१४	६" आल्मुनियम हेण्डल (साधारण)	गोटा	४०	४०	४४	
१५.१५	६" आल्मुनियम हेण्डल (डेकोरेटेड स्पेशल)	गोटा	७०	७०	७७	
१५.१६	६" पित्तल हेण्डल (साधारण)	गोटा	१५०	१५०	१६५	
१५.१७	६" पित्तल हेण्डल (डेकोरेटेड स्पेशल)	गोटा	४१५	४१५	४५७	
१५.१८	१२" लामो लकीङ सेट (एलड्रप)	गोटा	२१०	२१०	२३१	
१५.१९	१२" लामो लकीङ सेट (मर्टिस)	गोटा	६६०	६६०	७२६	

क्र.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
१५.२०	१" पेचकिला(स्क्रु),१ प्याकेटमा १०० गोटा	प्याकेट	१००	१००	११०	
१५.२१	१.२५"- २" पेचकिला(स्क्रु),१ प्याकेटमा ५० गोटा	प्याकेट	१००	१००	११०	
१६	काठको लिस्टी					
१६.१	०.५"- १" कुकाठ काठको	र.मी.	२०	२०	२०	
१६.२	१"- १.५" कुकाठ काठको	र.मी.	२४	२४	२४	
१७	खाक्सी	मी.	७५	७५	७५	
१८	तारब्रस	गोटा	५४	५४	५४	
१९	पुटीङ					
१९.१	छानाको प्वाल टाल्ने	के.जी.	१३०	१३०	१३०	
	छानाको प्वाल टाल्ने(टेप)	र.मी.	१०६	१०६	१०६	
१९.२	बिटुमिन फल्यास टेप (२ इन्च चौडाइ भएको)	र.मी.	९२	९२	९२	
१९.३	ग्लासफिक्स गर्ने (सिलिकोन) (450gm)	ट्युब	२७८	२७८	२७८	
२०	वाटर प्रुफिङ एजेन्ट					
२०.१	वाटर प्रुफिङ कम्पाउण्ड	के.जी.	१२०	१२०	१२०	
२०.२	सेफ कीट	लि.	२००	२००	२००	
२०.३	Concrete Admixture Plasticizer	लिटर	११०	११०	११०	
२१	फलामको (ग्रील,ट्रस,सटर,एङ्गल,स्क्वायर पाइप)					
२१.१	एम.एस.ग्रील (भ्याल-ढोकामा लगाउने समेत)	के.जी.	१२६	१२६	१३८	
२१.२	कोल्याप्सेवल गेट (च्यानल) फिटिङ्ग सहित	के.जी.	१३८	१३८	१५२	
२१.३	फलामे गेट फिटिङ्ग सहित	के.जी.	१३६	१३६	१४९	
२१.४	फलामे ट्रस फिटिङ्ग सहित	के.जी.	१३७	१३७	१५०	
२१.५	रोलिङ सटर फिटिङ्ग सहित	के.जी.	१३८	१३८	१५२	
२१.६	होल्ड फास्ट	के.जी.	८८	८८	९७	
२१.७	फलामे एङ्गल	के.जी.	८६	८६	९५	
२१.८	एम.एस.सीट(ब्लयाक)	के.जी.	८०	८०	८९	
२१.९	गोलो भरेङ्ग ३" पाइप, एङ्गल, ३/४ को स्क्वायर पाइप २०x३ को पत्ती १" पाइप सादा को फिटीङ्ग सहित	प्रती सेडी			२५००	
२१.१०	ट्रस छाएको (जस्ता पाता, एच स्पान जस्ता कीला सहीत)	ब.फु.			३०	
२१.११	Alluminium Sheet with Retroreflective sheeting including lamination & lettering	ब.मी.	८०००	८०००	८०००	
२२	गेवियन तार					
२२.१	हेभी कोटेड	के.जी.	१००	१००	११०	
२२.२	मेडियम कोटेड	के.जी.	९६	९६	१०५	
२२.३	कमर्सियल	के.जी.	९१	९१	१००	
२२.४क	Machine made and mechanically selvedged double twist hexagonal mesh products (MBG/10*12/3.0/3.9/2.4/ZN) with partation					
	Box size- 1.5*1*1	गोटा	२१५०	१४५०	२३८४	
	2*1*1	गोटा	२९००	२४५०	३३५१	
	3*1*1	गोटा	४०००	३६००	४७५२	
	2*1*.5	गोटा	२०००	२४००	२३५८	
	3*1*0.5	गोटा			३३६८	
	3*1.5*1/2	गोटा			४९४२	
	3*1.5*1	गोटा			६९६२	
२२.४ख	Machine made and mechanically selvedged double twist hexagonal mesh products (MBG/10*12/2.7/3.4/2.2/ZN)					

क्र.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफि
	Box size- 1.5*1*1/0	गोटा	१९४४	१२००	१३२०	
	2*1*1/1	गोटा	२५३४	२३५०	२५८५	
	3*1*1/2	गोटा	३४८६	३३००	३६३०	
	2*1*.5/1	गोटा	१८५३	१६५०	१८१५	
२२.५	Wire mesh nettings	व.मी	२७०	२७०	२९७	
२३	काँडे तार (वारवेड वायर)					
२३.१	१२-१४ गेजसम्म	के.जी.	१००	१००	११०	
२३.२	यु हुक	के.जी.	१५०	१५०	१६५	
२४	पेन्टीङ सामाग्री:					
२४.१	ह्वाइट वास गर्ने चुना	के.जी.	१९	१९	१९	
२४.२	आयल वाउण्ड डिस्टेम्पर	के.जी.	१७६	१७६	१७६	
२४.३	स्नो सेम	के.जी.	५५	५५	५५	
२४.४	चपा	के.जी.	१३५०	१३५०	१३५०	
२४.५	प्राइमर (फलाम)	लि.	३१०	३१०	३१०	
२४.६	प्राइमर (काठ)	लि.	३३०	३३०	३३०	
२४.७	प्राइमर (भित्ती)	लि.	३१०	३१०	३१०	
२४.८	प्राइमर (बाहिरी)	लि.	४१५	४१५	४१५	
२४.९	ईनामेल पेन्ट	लि.	५००	५००	५००	
२४.१०	इमल्सन इन्टेरियल	लि.	४२२	४२२	४२२	
२४.११	इमल्सन एक्स्टेरियर (water proof paint)	लि.	६००	६००	६००	
२४.१२	गुंद/फेविकोल	के.जी.	१४०	१४०	१४०	
२४.१३	आल्मुनियम पेन्ट	लि.	५२५	५२५	५२५	
२४.१४	डि.वी. लिन्सिड आयल	लि.	१०५	१०५	१०५	
२४.१५	वार्नेस	लि.	१८०	१८०	१८०	
२४.१६	स्प्रीट	लि.	१३१	१३१	१३१	
२४.१७	टरपेन्टाइन आयल	लि.	१४०	१४०	१४०	
२४.१८	रेड अक्साइड	लि.	३००	३००	३००	
२४.१९	विटुमिन VG-10 ग्रेड	के.जी.	७६.०	९९.१०	९९.१०	
	विटुमिन VG-30 ग्रेढ	के.जी.	७८.०	१००.७०	१००.७०	
२४.२०	Emulsion (65% Bitumen) HDP drum packed	के.जी.	७१.०	९५.८०	९५.८०	
	Emulsion (65% Bitumen) Ms drum packed	के.जी.		९२.००	९२.००	
२४.२१	Anti striping agent	के.जी.	३२६.०	३८०.००	३८०.००	
२४.२२	Geotextile cloth (200 gm / sq. m)/Geotextile Polypropylene Nonwoven (TS-30 equivalent)	व.मी	८६.०	८६	८६	
२४.२३	रोड मार्किङ्ग पेन्ट	लि.	५००.०	५००	५००	
२४.२४	Cats Eye	गोटा	५५०.०	५५०	५५०	
२४.२५	Thermoplastic paint	के.जी.	२५०.०	२५०	२५०	
२४.२६	Glass bit	के.जी.	२४३.०	२४३	२४३	
२५	स्यानिटरी सामाग्रीहरु:					
२५.१	२२" x १६" वास वेसिन	गोटा	१३००.०	१५००.००	१५००	
२५.२	१८" x १२" वास वेसिन	गोटा	१०००.०	११५०.००	११५०	
२५.३	१.२५" ब्यास सि.पी.वास कप्लीन चेन र रवर प्लग सहित	गोटा	२२२.०	२५५	२५५	
२५.४	१.२५" ब्यास सि.पी.एल टैप प्लग सहित	गोटा	२८५.०	३२५	३२५	
२५.५	१/२" ब्यास सि.प्री.पिलर कौक	गोटा	६३०.०	७२५	७२५	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
२५.६	०.५" x १८" पि.भि.सी पाइप कनेक्टर	गोटा	१३०.०	१५०	१५०	
२५.७	वास बेसिन चाइनिज क्ले	गोटा	११४०.०	१३११	१३११	
२५.८	ऐना बाथरुमको लागि (२०" x १६")	गोटा	४८०.०	५५२	५५२	
२५.९	०.५" x १८" टावेल रड	गोटा	४२३.५	४८७	४८७	
२५.१०	फाइवर सोप डिस लामो	गोटा	१९५.०	२२४	२२४	
२५.११	स्टिल सोप डिस लामो	गोटा	२५०.०	२८७	२८७	
२५.१२	६" x ६" पोरसिलिन सोप ट्रे	गोटा	२४०.०	२७६	२७६	
२५.१३	२" वेष्ट पाइप	गोटा	११५.०	१३२	१३२	
२५.१४	३६"x १८" x ८" स्टील किचेन सिंक	गोटा	२४००.०	२७६०	२७६०	
२५.१५	२७"x १८" स्टील किचेन सिंक	गोटा	१८५०.०	२१२७	२१२७	
२५.१६	१६"x १८" स्टील किचेन सिंक	गोटा	१३६०.०	१५६४	१५६४	
२५.१७	१८" डब्लु सी उडीसा प्यान(ट्रे टाइप)	गोटा	९६८.०	१११३	१११३	
२५.१८	१८" डब्लु सी प्यान(लोकल)	गोटा	७२६.०	८३४	८३४	
२५.१९	कमोड प्यान सेट Cistern, Pan समेत	गोटा	४११४.०	४७३०	४७३०	
२५.२०	Consollation Model Porceline Sunction Commod set	गोटा	१२५००.०	१४३७५	१४३७५	
२५.२१	युरिनल सेट जेन्स ९"	गोटा	११४९.५	१३२१	१३२१	
२५.२२	युरिनल सेट लेडिज ९"	गोटा	१०८६.०	१२४८	१२४८	
२५.२३	१३ लिटर क्षमताको हाईलेभल फ्लसिङ सिस्टर्न (प्लास्टीक)	गोटा	१८१५.०	२०८७	२०८७	
२५.२४	१३ लिटर क्षमताको लोलेभल फ्लसिङ सिस्टर्न(पोरसिलिन)	गोटा	४२३५.०	४७७०	४७७०	
२५.२५	१३ लिटर क्षमताको हेभी टाइप फ्लसिङ सिस्टर्न	गोटा	२२९९.०	२६४३	२६४३	
२५.२६	४" डायमिटर सावर रोज रिभोलविङ टाइप	गोटा	८४७.०	९७४	९७४	
२५.२७	३" डायमिटर ग्रिटिङ	गोटा	१०५.०	१२०	१२०	
२५.२८	६" x ३" टम्वलर एण्ड टयुव्रस होल्डर	गोटा	२६५.०	३०४	३०४	
२५.२९	४" डायमिटर एच.डि.पी.काउल	गोटा	८५.०	९७	९७	
२५.३०	पानी टंकी एच.डि.पी.सिन्टेक्स वा सो सरह	लिटर	८.०	८	८	
२५.३०.१	पानी टंकी एच.डि.पी. हेवी (५०० लि, ७५० लि, १००० लि)	लिटर			९	
२५.३०.२	पानी टंकी एच.डि.पी. हेवी एक्स्ट्रा (५०० लि, ७५० लि, १००० लि, १५०० लि, २००० लि, ३००० लि, ५००० लि)	लिटर			१०	
२५.३०.३	पानी टंकी एच.डि.पी. डिलक्स दुइ लेएर (५०० लि, ७५० लि, १००० लि, १५०० लि, २००० लि, ३००० लि, ५००० लि)	लिटर			१०	
२५.३०.४	पानी टंकी एच.डि.पी.एक्स्ट्रा हेबी तीन लेएर (५०० लि, ७५० लि, १००० लि, १५०० लि, २००० लि, ३००० लि, ५००० लि)	लिटर			११	
२५.३०.५	पानी टंकी एच.डि.पी. डिलक्स तीन लेएर (२०० लि, ३०० लि, ५०० लि, ७५० लि, १००० लि, १५०० लि, २००० लि, ३००० लि, ५००० लि)	लिटर			११	
२५.३०.६	पानी टंकी एच.डि.पी. स्ट्रोङ्ग (२०० लि, ३०० लि, ५०० लि, ७५० लि, १००० लि, १५०० लि, २००० लि, ३००० लि, ५००० लि)	लिटर			११	
२५.३१	स्टील वाटर टैकी स्टेण्ड सहित २००० लि.	गोटा		३००८८	३३०९७	
२५.३२	स्टील वाटर टैकी स्टेण्ड सहित १००० लि.	गोटा		१९०२७	२०९२९	
२५.३३	सोलार वाटर हिटर २०० लि. टैक १६ टयुव भएको	गोटा		३६८१४	३८६५५	
२६.३१	सोलार वाटर हिटर २५० लि. टैक २० टयुव भएको	गोटा		४६०१८	४८३१९	
२६.३२	सोलार वाटर हिटर ३०० लि. टैक २४ टयुव भएको	गोटा		५४८६७	५७६११	
२६.३३	सोलार वाटर हिटर ३७५ लि. टैक ३० टयुव भएको	गोटा		६९०२७	७२४७८	
२७.३१	2000 V.A Pure Shine Wave UPS	सेट		३०५३१	३०५३१	
२७.३२	900 V.A Pure Shine Wave UPS	सेट		९७३५	९७३५	
२७.३३	Tubular Battery 150AH	गोटा		२३४५१	२३४५१	
२८	**खानेपानी सम्बन्धी:**					

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट
२६.१	पि.भी.सी पाइप ४ Kg/cm^2:				
	१.५"(४५ मी.मी.) ब्यास	र.मी.	१९५	१९५	२०५
	२"(६३ मी.मी.) ब्यास	र.मी.	१९५	१९५	२०५
	२.५"(७५ मी.मी.) ब्यास	र.मी.	१९५	१९५	२०५
	३"(९० मी.मी.) ब्यास	र.मी.	१९५	१९५	२०५
	४"(११० मी.मी.) ब्यास	र.मी.	१९५	१९५	२०५
	४.५"(१२५ मी.मी.) ब्यास	र.मी.	१९५	१९५	२०५
	५"(१४० मी.मी.) ब्यास		१९५	१९५	२०५
	६"(१६० मी.मी.) ब्यास	र.मी.	१९५	१९५	२०५
२७	**खानेपानी तथा स्यानिटरी विविध सामाग्रीहरु:**				
२७.१	धारा: Galvanized With Steel				
	1/2" ब्रासधारा ३५० ग्राम				
	Angle Cock	गोटा	५००.००	५००	५२५
	Bib Cock	गोटा	५००.००	५००	५२५
	Long Body	गोटा	६००.००	६००	६३०
	Piller Cock	गोटा	६००.००	६००	६३०
	Mixture	गोटा	१२००.००	१२००	१२६०
	1/2" ब्रासधारा ४५० ग्राम				
	Angle Cock	गोटा	६००.००	६००	६३०
	Bib Cock	गोटा	६००.००	६००	६३०
	Long Body	गोटा	७००.००	७००	७३५
	Piller Cock	गोटा	७००.००	७००	७३५
	Mixture	गोटा	१३००.००	१३००	१३६५
	1/2" ब्रासधारा ग्राम ५५०				
	Angle Cock	गोटा	६२५.००	६२५	६५६
	Bib Cock	गोटा	६२५.००	६२५	६५६
	Long Body	गोटा	७२५.००	७२५	७६१
	Piller Cock	गोटा	७२५.००	७२५	७६१
	Mixture	गोटा	१३२५.००	१३२५	१३९१
२८	**टायल तथा मार्वल**				
२८.१	वाल ग्लेज टायल	व.मी	६७०	६७०	६७०
२८.२	ग्लेज फलोर टायल	व.मी	७५०	७५०	७५०
२८.३	मार्वल	व.मी	१५४५	१५४५	१५४५
२८.४	अक्जालीक एसिड (एच सि.एल लीक्वड)	लिटर	८२	८२	८२
२८.५	मैन पोलिस	के.जी.	३०९	३०९	३०९
२८.६	कार्वेरिण्डम ढुंगा विभिन्न नम्वरको	गोटा	१३६	१३६	१३६
२८.७	मार्बल चिप्स	के.जी.	१४	१४	१४
२८.८	४" x २.५" पि.भि.सी.गल्ली ट्रैप	गोटा	३९१	३९१	३९१
२८.९	Granite	व.मी			२२३८
२८.१	**छाप्ने ढुङ्गा (Flag Stone)**				
	१" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	ब.फि.	८७	८७	९५
	१.५" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	ब.फि.	१००	१००	११०
	२" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	ब.फि.	११७	११७	१२९
	२.५" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	ब.फि.	१२७	१२७	१३९

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कै
	२.५"-३" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि.	१६०	१६०	१७६	
२९	ह्युम पाइप					
२९.१	एन.पी.३ क्लास हेभी ड्युटी					
	15 से.मी ब्यास	र.मी.	२४०५	२२८५	२२८५	
	20 से.मी ब्यास	र.मी.	२९७२	२८२४	२८२४	
	25 से.मी ब्यास	र.मी.	३६०८	३४२७	३४२७	
	30 से.मी ब्यास	र.मी.	४१०४	३८९९	३८९९	
	35 से.मी ब्यास	र.मी.	४५९९	४३६९	४३६९	
	40 से.मी ब्यास	र.मी.	५२३६	४९७४	४९७४	
	45 से.मी ब्यास	र.मी.	६०१४	५७१३	५७१३	
	50 से.मी ब्यास	र.मी.	६७२१	६३८५	६३८५	
	60 से.मी ब्यास	र.मी.	८०६६	७६६३	७६६३	
	70 से.मी ब्यास	र.मी.	१०१८७	९६७८	९६७८	
	75 से.मी ब्यास	र.मी.	११६०२	११०२२	११०२२	
	80 से.मी ब्यास	र.मी.	१३०१८	१२३६७	१२३६७	
	90 से.मी ब्यास	र.मी.	१४७८६	१४०४७	१४०४७	
	100 से.मी ब्यास	र.मी.	१६४१३	१५५९३	१५५९३	
	120 से.मी ब्यास	र.मी.	१९२४३	१८२८१	१८२८१	
	150 से.मी ब्यास	र.मी.	२८२९८	२६८८४	२६८८४	
२९.२	एन. पी. २ क्लास लाइट ड्यूटी					
	15 से.मी ब्यास	र.मी.	८८५	८४१	८४१	
	20 से.मी ब्यास	र.मी.	१०६१	१००८	१००८	
	25 से.मी ब्यास	र.मी.	१२०३	११४३	११४३	
	30 से.मी ब्यास	र.मी.	१४०४	१३३३	१३३३	
	40 से.मी ब्यास	र.मी.	२३३४	२२१८	२२१८	
	45 से.मी ब्यास	र.मी.	२७५९	२६२१	२६२१	
	50 से.मी ब्यास	र.मी.	२९०१	२७५६	२७५६	
	60 से.मी ब्यास	र.मी.	४६७०	४४३७	४४३७	
	70 से.मी ब्यास	र.मी.	४९५३	४७०५	४७०५	
	75 से.मी ब्यास	र.मी.	५५१८	५२४२	५२४२	
	80 से.मी ब्यास	र.मी.	६०८५	५७८१	५७८१	
	90 से.मी ब्यास	र.मी.	६०७१	५७६८	५७६८	
	100 से.मी ब्यास	र.मी.	८६३१	८२००	८२००	
	120 से.मी ब्यास	र.मी.	९७६४	९२७६	९२७६	
	150 से.मी ब्यास	र.मी.	१६१३०	१५३२४	१५३२४	
३०	एम.एस.ब्लयाक पाइप मध्यम श्रेणी (विभिन्न साइजको)	के. जी.	९०	९०	९९	
३१	Tools and Occupational Health and Safety					
	Simple Hand Tools					
	Pickaxe 2.5 Kg	No	४०१	४०१	४०१	
	Shovel	No	५८९	५८९	५८९	
	Watering Can plastic 5 ltr.	No	५०३	५०३	५०३	
	Chisel 35mmx225mm (1.5 kg)	No	४५५	४५५	४५५	
	Wheel Barrow	No	९५२३	९५२३	९५२३	
	Crowbar (25-32mm. Dia) 7 kgs	No	१६८५	१६८५	१६८५	
	Sledge Hammer (4kgs)	No	१०९९	१०९९	१०९९	

क्र.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को निमित्त दर रु.	आ.व. ०७८/७९ को निमित्त दर रु.	आ.व. ०७९/८० को निमित्त दर रु.
	Measuring Tape(5m)	No	१६१	१६१	१६१
	Foot Pump	No	१५३४	१५३४	१५३४
	Mason Hammer	No	२५७	२५७	२५७
	Rake (12 teeth,1.2 m length handle)	No	७८१	७८१	७८१
	Curved knife (Hasiya) (400 gms)	No	३६४	३६४	३६४
	Kodalo	No	५४६	५४६	५४६
	Faruwa (1.8 kg)	No	९५२	९५२	९५२
	Trowel	No	१५०	१५०	१५०
	Pulling Rope(Nilon)	No	१३९	१३९	१३९
	Personal Protective Safety Equipments (OSH)				
	Safety Helmate	No	३१०	३१०	३१०
	Self illumenation Jacket With Print	No	६४२	६४२	६४२
	GumBoots	pair	७३६	७३६	७३६
	GumBoots (with steel toe)	pair	१३००	१३००	१३००
	Shoes	pair	५८२	५८२	५८२
	Set of Flag (2)	pair	२१४	२१४	२१४
	Mask	No	३४	३४	३४
	Hand hard Glove	pair	२१४	२१४	२१४
	Goggles (Sun Protective)	No	३२१	३२१	३२१
	Raincoat (Simple)	No	११५०	११५०	११५०
	Traffic Cone	No	१०५२	१०५२	१०५२
	Cap	No	३५३	३५३	३५३
३२	खानेपानी सम्बन्धी Tools (ISI or NS standard)				
	Heating Plate 3"	no	६००	६००	६००
	Heating Plate 4"	no	६५०	६५०	६५०
	Heating Plate 5"	no	८००	८००	८००
	Heating Plate 6"	no	९००	९००	९००
	Heating Plate 8"	no	१६५०	१६५०	१६५०
	Heating Plate 10"	no	२२००	२२००	२२००
	Heating Plate 12"	no	२६००	२६००	२६००
	Pipe Wrench 10"	no	३००	३००	३००
	Pipe Wrench 12"	no	३५०	३५०	३५०
	Pipe Wrench 14"	no	४००	४००	४००
	Pipe Wrench 18"	no	७००	७००	७००
	Pipe Wrench 24"	no	१२००	१२००	१२००
	Pipe Wrench 36"	no	२६००	२६००	२६००
	Pipe Wrench 48"	no	३५००	३५००	३५००
	Chain Wrench 3 No.	no	२०००	२०००	२०००
	Chain Wrench 4 No.	no	२५००	२५००	२५००
	Chain Wrench 6 No.	no	३५००	३५००	३५००
	Rechet Threader 1/2"-1"	Set	३४००	३४००	३४००
	Rechet Threader 1 $^{1/4}$"-2"	Set	७०००	७०००	७०००
	Rechet Threader 2 $^{1/2}$"-3"	Set	८०००	८०००	८०००
	Adjustable Wrench10"	No	२५०	२५०	२५०
	Adjustable Wrench12"	No	३००	३००	३००
	Adjustable Wrench15"	No	५००	५००	५००

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट
	Pipe Vice 2 No.	No	१५००	१५००	१५००
	Pipe Vice 3 No.	No	२००	२००	२००
	Pipe Vice 4 No.	No	२५००	२५००	२५००
	Pipe Cutter 2 No.	No	१५००	१५००	१५००
	Pipe Cutter 3 No.	No	२५००	२५००	२५००
	Pipe Cutter 4 No.	No	४०००	४०००	४०००
	Tool Box with Key	No	१३००	१३००	१३००
	Teflon Cover	mtr	२५००	२५००	२५००
	Thermochrome Chalk (German)	No	३००	३००	३००
	Thermochrome Chalk (Indian)	No	३००	३००	३००
	Hack Saw frame	No	१००	१००	१००
	Hack Saw blade	No	२०	२०	२०
	Oil Cane	No	५००	५००	५००
	Rubber Gas Kit	No	२००	२००	२००
	Teflon Tape	No	२०	२०	२०
	Blow lamp	No	१५००	१५००	१५००
	Sledge hammer 10 lbs	No	१०००	१०००	१०००
	Stone Chisel 1"x6"	No	२५०	२५०	२५०
	Stone Chisel 1"x12"	No	३५०	३५०	३५०
	Spirit Level	No	२००	२००	२००
	Mason Square 12"	No	२४०	२४०	२४०
	Mason Square 18"	No	३६०	३६०	३६०
	Steel Brush	No	३०	३०	३०
	Steel Pan	No	२००	२००	२००
	Measuring Tape 3m	No	५०	५०	५०
	Measuring Tape 5m	No	७५	७५	७५
	Measuring Tape 30m	No	३००	३००	३००
	Measuring Tape 50m	No	४००	४००	४००
	Measuring Tape 100m	No	५००	५००	५००
	Stone cutting hammer	No	२३०	२३०	२३०
	Half round file 10"	No	२००	२००	२००
	Half round file 12"	No	३००	३००	३००
	Nail Hammer	No	२५०	२५०	२५०
	Die Teeth 1/2"	Set	७००	७००	७००
	Die Teeth 3/4"	Set	७००	७००	७००
	Die Teeth 1"	Set	७००	७००	७००
	Die Teeth 1 1/4"	Set	१५००	१५००	१५००
	Die Teeth 1 1/2"	Set	१५००	१५००	१५००
	Die Teeth2"	Set	१५००	१५००	१५००
	Die Teeth 2 1/2"	Set	१७००	१७००	१७००
	Die Teeth 3"	Set	१९००	१९००	१९००
	Die Teeth 4"	Set	२५००	२५००	२५००
	Shovel	No	४३५	४३५	४३५
	Pick Axe	No	४७०	४७०	४७०
	Crow bar	No	१५००	१५००	१५००
३३	Standard quality Tools (ISI or NS standard)				

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट
	Pipe wrench 12"	Pc	५८०	५८०	५८०
	Pipe wrench 14"	Pc	६८०	६८०	६८०
	Pipe wrench 18"	Pc	१२६०	१२६०	१२६०
	Pipe wrench 24"	Pc	२१००	२१००	२१००
	Adjustable wrench 12"	Pc	१०००	१०००	१०००
	Heating plate 4"	Pc	१२८०	१२८०	१२८०
	Heatingplate 6"	Pc	१९२०	१९२०	१९२०
३४	विजुली वायरिङ्ग सम्बन्धी सामानहरु				
	एस.एस.कम्वाइन्ड सकेट	गोटा	१९२	१९२	१९२
	५ पिन सकेट	गोटा	४३	४३	४३
	१० एम्पियर फ्युज	गोटा	४३	४३	४३
	इण्डिकेटर	गोटा	४३	४३	४३
	स्वीच	गोटा	२८	२८	२८
	होल्डर	गोटा	३४	३४	३४
	घण्टी स्वीच	गोटा	३८	३८	३८
	लिप्टी ३/४ इन्च (प्लाष्टिक)लम्बाई ६ फीट	गोटा	४३	४३	४३
	लिप्टी १/२ इन्च (प्लाष्टिक)लम्बाई ६ फीट	गोटा	३२	३२	३२
	सिलिङ्ग रोज	गोटा	३२	३२	३२
	४" x ४" पि.भि.सी.वक्स र प्लेट	गोटा	२४	२४	२४
	६" x ८" पि.भि.सी.वक्स र प्लेट	गोटा	५४	५४	५४
	८" x १०" पि.भि.सी.वक्स र प्लेट	गोटा	६९	६९	६९
	४" x ४" पि.भि.सी. प्लेट	गोटा	८	८	८
	६" x ८" पि.भि.सी.प्लेट	गोटा	२२	२२	२२
	7" x ४" पि.भि.सी.प्लेट	गोटा	१५	१५	१५
	८" x १०" पि.भि.सी. प्लेट	गोटा	३८	३८	३८
	एस.एस.कम्वाइन्ड वक्स (सानो)	गोटा	२७	२७	२७
	१६ एम्पियर किटकट	गोटा	३४	३४	३४
	३/२० पि.भी.सी तार	क्वायल	१५६८	१५६८	१५६८
	३/२२ पि.भी.सी तार	क्वायल	१०२७	१०२७	१०२७
	७/२२ पि.भी.सी तार	क्वायल	२३७९	२३७९	२३७९
	Multi Standard Flexible Copper Wire				
	0.50MM	क्वायल		७१७	७१७
	0.75MM	क्वायल		१००५	१००५
	1.0MM	क्वायल		१३१४	१३१४
	1.5MM	क्वायल		१९६५	१९६५
	2.5MM	क्वायल		३२२२	३२२२
	4.0MM	क्वायल		४९२६	४९२६
	6.0MM	क्वायल		७२७५	७२७५
	10.0MM	क्वायल		१२४७७	१२४७७
	16.0MM	क्वायल		२३५८०	२३५८०
	2/20MM	क्वायल		१७५५	१७५५
	2/22MM	क्वायल		१२९६	१२९६
	CONCENTRIC CABLE				
	10 SQ.MM	प्रति मि.		६०	६०
	25 SQ.MM	प्रति मि.		१३०	१३०
	वल्व	गोटा	२०	२०	२०

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट
	LED Bulb 5 watt Warrenty	गोटा	१८६	१८६	१८६
	LED Bulb 7 watt Warrenty	गोटा	२३२	२३२	२३२
	LED Bulb 9 watt Warrenty	गोटा	२७९	२७९	२७९
	LED Bulb 5 watt Local	गोटा	६५	६५	६५
	LED Bulb 7 watt Local	गोटा	९३	९३	९३
	LED Bulb 9 watt Local	गोटा	१४०	१४०	१४०
	CFL Bulb 2U 5 w	गोटा	१६८	१६८	१६८
	CFL Bulb 2U 22 w	गोटा	१८६	१८६	१८६
	CFL Bulb Spirrel 25 w	गोटा	२७९	२७९	२७९
	सब मिटर(चाइनिज)	गोटा	३४८	३४८	३४८
	टेप	गोटा	११	११	११
	मेन स्वीच	गोटा	१६२	१६२	१६२
	बेड स्वीच	गोटा	११	११	११
	टुपीन सकेट	गोटा	३२	३२	३२
	घण्टी (साधारण)	गोटा	११७	११७	११७
	घण्टी (मेडियम)	गोटा	२१६	२१६	२१६
	क्लिप ३७ - ४३ मी.मी.	गोटा	९	९	९
	क्लिप ५० - ६२ मी.मी.	गोटा	११	११	११
	ट्युव लाईट वत्ती २ फीट/४फीट	गोटा	८२	८२	८२
	चोक २०/४० वाट	गोटा	१४७	१४७	१४७
	स्टार्टर होल्डर	गोटा	१०	१०	१०
	स्टार्टर	गोटा	१०	१०	१०
	४ फीट ट्युव लाइट सेट (एन.एस.मार्क)	सेट	३४४	३४४	३४४
	टयुव लाईट २०-४० वाट	गोटा	८०	८०	८०
	६ मी.मी. पि.भी.सी. तार	र.मी.	२४	२४	२४
	किटकट ३२ एम्पियर	गोटा	८०	८०	८०
	६"-८" डायमिटर डोम लाइट	गोटा	२४६	२४६	२४६
	एम.सी.वी.	गोटा	१८०	१८०	१८०
	वेदर प्रूफ ब्रैकेट लेम्प	सेट	२९५	२९५	२९५
	50 Watt LED Focous Light	गोटा			२२१२
	१/२" डायमिटर पि.भी.सी. पाइप लम्बाई ९ फीट	गोटा	२५	२५	२५
	१" डायमिटर पि.भी.सी. पाइप लम्बाई ९ फीट	गोटा	४६	४६	४६
	१/२" क्लैम्प	गोटा	३	३	३
	१" क्लैम्प	गोटा	७	७	७
	१/२" एल्वो	गोटा	३	३	३
	१" एल्वो	गोटा	६	६	६
	१/२" टी	गोटा	३	३	३
	१" टी	गोटा	६	६	६
	१/२" जक्सन	गोटा	६	६	६
	१" जक्सन	गोटा	१२	१२	१२
	१/२" बेण्ड	गोटा	६	६	६
	१" बेण्ड	गोटा	१२	१२	१२
	१" लामो ग्रीप्स	गोटा	१	१	१
३५	सामान बाहेक कन्सिल वायरिग गर्ने कार्यको ज्याला	प्वाइन्ट	५९	५९	५९
३६	सामान बाहेक सफेस वायरिग गर्ने कार्यको ज्याला	प्वाइन्ट	४८	४८	४८
३७	सामान सहित कन्सिल वायरिग गर्ने कार्यको ज्याला	प्वाइन्ठ	५३२	५३२	५३२

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कै
३८	सामान सहित सफेस वायरिंग गर्ने कार्यको ज्याला	प्वाइन्ट	४५४	४५४	४५४	
३९	सिलिङ्ग फ्यान(४८")/उषा,बजाज वा सो सरह	गोटा	२१००	२१००	२१००	
४०	इक्जहाउस्ट फ्यान मिडियम	गोटा	१९००	१९००	१९००	
४१	मिरर लाइट	गोटा	४००	४००	४००	
४२	टेलिफोन सकेट	गोटा	७०	७०	७०	
४३	टेलिफोन जक्सन बक्स(४-५ टे.लाइन)	गोटा	४५	४५	४५	
४४	एम.सी.वी.डिस्ट्रिब्युसन बक्स (पि.भि. सि.)					
	४ वे	गोटा	४५	४५	४५	
	६ वे	गोटा	३५०	३५०	३५०	
	८ वे	गोटा	४५०	४५०	४५०	
	१० वे	गोटा	६५०	६५०	६५०	
	१२ वे	गोटा	८५०	८५०	८५०	
	एम.सी.वी.डिस्ट्रिब्युसन बक्स (मेटल) १४वे	गोटा	१०५०	१०५०	१०५०	
	4 TPN Metal २० वे	गोटा	१९८०	१९८०	१९८०	
४५	3 phase मिटर बक्स (मेटल)	गोटा	१५८४	१५८४	१५८४	
४६	मिटर बक्स (प्लाष्टिक)	गोटा	२०९	२०९	२०९	
४७	**तार (Conductor)**					
	0.03 Sq. inch Weasel ACSR Conductor	र.मी.	३८	४०	४४	
	0.05 Sq. inch Rabbit ACSR Conductor	र.मी.	५८	६१	६७	
	0.1 Sq. inch Dog ACSR Conductor	र.मी.	११०	११५	१२७	
४८	**स्टे आईटम**					
	स्टे सेट (५ फीट)	सेट	१२१०	१३३१	१३३१	
	1.8 M dia. 16mm Stay Set (Rod , Plate, Eye ball, Turn Buckle)	सेट	१३८०	१६०७	१७६८	
	2.44 M dia. 19mm Stay Set(Rod , Plate, Eye Ball, Turn Buckle)	सेट	२२५०	३१६४	३४८०	
	Stay wire 7/12 SWG	के.जी.	१३०	१३७	१५१	
	Stay wire 7/8 SWG	के.जी.			१७०	
	Stay insulator LT	गोटा	८०	८८	९७	
	Stay insulator HT	गोटा	९०	१७६	१९४	
	स्टेप फ्ल्याट (LT)	गोटा	५८	५८	६४	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफि
४९	**Earthing**					
४९.१	Earthing Rod 6 Ft. (Copper Coated)	गोटा	११५५	१२७०	१३९७	
४९.२	Earthing Wire (Copper)	के.जी.	११५५	१२७०	१३९७	
४९.३	Earthing Plate 600x600x6 mm (Copper Coated)	गोटा		२१८९	२४०८	
५०	**High Tension Cable**					
५०.१	33 kV Insulated Cable, 1-core, 100 sq. mm	मिटर		७५८	८३४	
५०.२	33 kV ABC Cable, 100 sq. mm each	मिटर		२४२५	२६६८	
५०.३	11 kV Insulated Cable, 1-core, 100 sq. mm	मिटर		६६२	७२८	
५०.४	11 kV ABC Cable, 100 sq. mm each	मिटर		२३५०	२५८५	
	11 KV XLPE Covered Conductor, 1 Core, 50 sq mm	मिटर			२९५	
५१.०	11 kV DO Fuse Set three nos.	सेट	५१९८	५७१७	६२८९	
५२.०	9 kV Lightning Arrestor Set three nos.	सेट	६३००	६९३०	७६२३	
५३.०	33 kV DO Fuse Set three nos.	सेट		१७१५१	१८८६६	
५४.०	27 kV Lightning Arrestor Set three nos.	सेट		८४९६	९३४६	
५५	**Cut Out Fuse**					
५१.१	200 A Cut Out Fuse 3 Nos.	सेट	१६००	१७६०	१९३६	
५१.२	300 A Cut Out Fuse 3 Nos.	सेट	१८००	१९८०	२१७८	
५१.३	400 A Cut Out Fuse 3 Nos.	सेट	२०००	२२००	२४२०	
५१.४	500 A Cut Out Fuse 3 Nos.	सेट		२४२०	२६६२	
५६	**ABC Cable**					
५६.१	25 mm2 ABC Cable	मिटर	१७३	१९०	२०९	
५६.२	50 mm2 ABC Cable	मिटर	२८९	३१८	३५०	
५६.३	70 mm2 ABC Cable	मिटर		५०८	५५९	
५६.४	95 mm2 ABC Cable	मिटर	५५०	६०५	६६६	
५६.५	120 mm2 ABC Cable	मिटर		८४०	९२४	
५७	**Cable Lock**					
५७.१	35 mm2 Cable Lock	गोटा		९५	१०५	
५७.२	50 mm2 Cable Lock	गोटा		१३०	१४३	
५७.३	70 mm2 Cable Lock	गोटा		१५०	१६५	
५७.४	90 mm2 Cable Lock	गोटा		१९०	२०९	
५७.४	120 mm2 Cable Lock	गोटा		२१०	२३१	
५८	D Iron with Shackle Insulator and Nut Bolt	सेट	१४४	१५०	१६५	
५९	11 kV Disk Insulator	गोटा	८६६	९४५	१०४०	
६०	11 kV Tension Clamp	सेट	६३५	६५५	७२१	
६१	33 kV Tension Clamp	सेट		७३०	८०३	
६२	11 kV Pin Insulator with Spindle	सेट	४६२	५००	५५०	
६३	33 kV Pin Insulator with Spindle	सेट	१३८६	१४२५	१५६८	
६४	6 mm2 Concentric Cable	मिटर	२५	२७.०	३०	
६५	16 mm2 Concentric Cable	मिटर		५५	६१	
६६	**Full Galvanised Iron**					
६६.१	Iron channel	के.जी.	१५६	१६०	१७६	
६६.२	Full Galvanised Iron Channel	के.जी.	१७०	१७५	१९३	
६६.३	Full Galvanised Pole Camp	के.जी.	१६२	१७५	१९३	
६६.४	Full Galvanised Steel Tubular Pole	के.जी.	१३५	१४८	१६३	

क्र.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
६६.५	Full Galvanised Steel Telescopic Pole	के.जि.			२१०	
६६.६	Full Galvanised Nut Bolt	के.जी.		२०३	२२३	
६७	**4-Core Cable**					
	25 sq. mm 4-Core Cable (Almunium Unarmoured)	र.मी.		३६८	४०५	
६७.१	50 sq. mm 4-Core Cable (Almunium Unarmoured)	र.मी.	४८९	५१०	५६१	
६७.२	70 sq. mm 4-Core Cable (Almunium Unarmoured)	र.मी.	५५४	५७५	६३३	
	पोल सम्बन्धी					
६८	PSC POLE पी.एस.सी.पोल					
	८ मीटर लामो psc pole	गोटा	७०३४	७०३४	७७३७	
	९ मीटर लामो psc pole	गोटा	७३९२	७३९२	८१३१	
	११ मीटर लामो psc pole	गोटा	१४६६९	१४६६९	१६१३६	
६९	**10 Core Control Cable**	मिटर		१२११	१३३२	
७०	**Transformer**					
७०.१	25 kVA, 11/0.4 kV Transformer (Cupper Wire)	गोटा	२३००००	२५२०००	३०००००	
७०.२	50 kVA, 11/0.4 kV Transformer(Cupper Wire)	गोटा	३६५०००	३६५०००	४२५०००	
७०.३	100 kVA, 11/0.4 kV Transformer(Cupper Wire)	गोटा	५७५०००	५७५०००	६५००००	
७०.४	150 kVA, 11/0.4 kV Transformer(Cupper Wire)	गोटा		७२००००	९४००००	
७०.५	200 kVA, 11/0.4 kV Transformer(Cupper Wire)	गोटा		९२१५१०	११७००००	
७०.६	250 kVA, 11/0.4 kV Transformer	गोटा			१२७५०००	
७०.७	25 kVA, 33/0.4 kV Transformer(Cupper Wire)	गोटा		३३१४७०	४०००००	
७०.८	50 kVA, 33/0.4 kV Transformer(Cupper Wire)	गोटा		४६२२४०	६०००००	
७०.९	100 kVA, 33/0.4 kV Transformer(Cupper Wire)	गोटा		६४४४००	७८५०००	
७०.१	150 kVA, 33/0.4 kV Transformer(Cupper Wire)	गोटा		८५५०००	१०४५०००	
७०.११	200 kVA, 33/0.4 kV Transformer(Cupper Wire)	गोटा		१०६२०००	१२९००००	
७०.१२	250 kVA, 33/0.4 kV Transformer	गोटा			१३९००००	
७१.००	Line seperator 2 wire	गोटा		२००	२२०	
७२.००	Line seperator 3 wire	गोटा		३००	३३०	
७३.००	Line seperator 4 wire	गोटा		४००	४४०	
७४.००	PG Clamp for Weasel conductor	गोटा		४००	४४०	
७५.००	PG Clamp for Rabbit conductor	गोटा		६२५	६८८	
७६.००	PG Clamp for Dog conductor	गोटा		८४०	९२४	
७७.००	Suspension Clamp	गोटा		९५०	१०४५	
७८.००	Anchor Clamp 95 mm 4-core	गोटा		९००	९९०	
७८.१०	Anchor Clamp 70 mm 4-core	गोटा			६९६	
७८.२०	Anchor Clamp 50 mm 4-core	गोटा			५७४	
७८.३०	Anchor Clamp 25 mm 4-core	गोटा			३४९	
७८.४०	Anchor Clamp 120 mm 4-core	गोटा			९९२	
७९.००	Connector 6-25 mm	गोटा		१९०	२०९	
८०.००	Tester	गोटा		१५०	१६५	
८१.००	6 A MCB	गोटा		३३०	३६३	
८२.००	Nose Pliers	गोटा		८२५	९०८	
८३.००	Combination Pliers	गोटा		११००	१२१०	
८४.००	Screw Driver Set	सेट		१८५५	२०४१	
८५.१०	TOD Meter Box Two Door	गोटा		१००००	११०००	
८५.२०	TOD Meter Box Single Door	गोटा			१००००	
८६.००	Safety Belt	गोटा		७७५३	८५२८	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
८७.००	Safety Helmet	गोटा		९१०	१००१	
८८.००	Conductor Strenging Vice Two Ton	सेट		१०६०२	११६६२	
८९.००	11 kV Disconnecting Switch three nos.	सेट		२२०००	२४२००	
९०.००	33 kV Disconnecting Switch three nos.	सेट		५९५७२	६५५२९	
९१.००	Cutting 2 m on both sides of the Lines for 1 km (4000 sq m), HT Bush Cutting	कि.मी.		९१०८	१००१९	
९२.००	Cutting 1 m on both sides of the Lines for 1 km (2000 sq m), LT Bush Cutting	कि.मी.		३०३६	३३४०	
९२ (क)	**High Tension Cable Assessories**					
	Heat shrinkable end Cap	गोटा			२१३	
	Alignment Tie Pit end Cap	गोटा			४०४	
	Junction Sleeves MJPT 54-93 for XLPE	गोटा			१,७२७	
	TNDC Insulated Connector	गोटा			१,२९५	
	TTDC Insulated Connector	गोटा			१,१३६	
	NTDC Insulated Connector	गोटा			१,०१४	
	Dead End Clamp for 100 sq mm, 11 kV XLPE	गोटा			१,१११	
	Dead End Clamp for 50 sq mm, 11 kV XLPE	गोटा			१,०६२	
९३	**कृषि संग सम्बन्धीत**					
	न्युटन बि. टुनीको २ तले मौरी घार (२० फेमको सेट)	गोटा	४२००	५०००	४५००	
	न्युटन बि. टुनीको २ तले मौरी घार (१६ फेमको सेट)	गोटा			३६००	
	न्युटन बि. उत्तिस वा अन्यको २ तले मौरी घार (२० फेमको सेट)	गोटा	३४००	३५००	३५००	
	टुनीको फेममा आंप को न्यूटन बी दूई तले घार (२० फेमको सेटको)	गोटा	३४५०	३५५०	३५५०	
	५ फ्रेम मौरी गोला रानी सहित	गोटा	३६००	३७००	३५००	
	आधार चाका १ केजीको	गोटा	१३००	१३००	१२००	
	बिभेल (टोपी) ठुलो साइज	गोटा	६००	६००	६००	
	बिभेल (टोपी) सानो साइज	गोटा	५५०	५५०	५५०	
	पंजा कपडाको	एक जोडी	५००	५००	५००	
	पंजा प्लास्टिकको बाक्लो	एक जोडी	३५०	३५०	३५०	
	पंजा प्लास्टिकको पातलो	गोटा	२००	२००	२००	
	मौरी स्टेण्ड ५ केजीको	गोटा	५००	५००	५५०	
	मौरी स्टेण्ड ३ केजीको	गोटा	३५०	३५०	३८५	
	हाइप टुल	गोटा	१५०	१५०	१६५	
	मौरी उठाउने/ छोप्ने झोला (स्वार्म बेग)	गोटा	६००	६००	६००	
	महदानी (सेराना) ठुलो (स्टिलको)	गोटा	१००००	१००००	११०००	
	महदानी (सेराना) सानो (टिनको)	गोटा	७५००	७५००	७५००	
	महदानी (जस्तापाताको)	गोटा	९०००	९०००	९०००	
	सेराना आधार चाका प्रेस	गोटा	८०००	८०००	८०००	
	सेराना आधार चाका रोलर मेशिन	गोटा	९००००	९००००	९९०००	
	धुवादानी (स्टील)	गोटा	२०००	२०००	२०००	
	धुवादानी (टीन)	गोटा	१०००	१०००	१०००	
	मौरीको स्टिकर (लेखाई)	गोटा	३०	३०	३०	
	मौरी खाली घार ढुवानी (कच्ची सडक)	प्रति कि.मी.	७	७	७	
	मौरी खाली घार ढुवानी (पक्की सडक)	प्रति कि.मी.	६	६	६	
	मौरी गोला सहित घार पेकिङ.	गोटा	१००	१००	१००	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफि
	आधार चाका बनाउने सिमेन्ट साचो	गोटा	६०००	६०००	६६००	
	क्वीन गेट	गोटा	१००	१००	१००	
	क्वीन केज	गोटा	१००	१००	१००	
	क्वीन एक्सुलेडर	गोटा	१०००	१०००	१०००	
	हाइभ टुल	गोटा	५००	५००	५००	
९४	**पशु सेवा**					
	मठ (सि.ओ थ्री र फोर)	गाना	२/-	३	२	
	जै बिउ	के.जी	६०/-	८०	९०	
	वार्षिम बिउ	के.जी	३००/-	३००	३३०	
	भेंच	के.जी	१२०/-	१२०	१५०	
	वाजरा /सुडान	के.जी	१३०/-	१३०	१५०	
	टियोसेन्टी	के.जी	१३०/-	१३०	१३०	
	पाल्पा स्टाईलो	के.जी	१२००	१२००	१३२०	
	मोलासेस	के.जी	३००/-	३००	३००	
	डालेघांसका विरुवाहरु	गोटा	१०/-	१०	१०	
	भटे	के.जी	३००/-	३००	३००	
	ग्लाईसीन	के.जी	२००/-	२००	२००	
	वटरफ्लाई पि	के.जी	२००/-	२००	२००	
	ईपिल ईपिल	के.जी	२००/-	२००	२००	
	डिस्मोडियम	के.जी	२००/-	२००	२००	
	मोलाटो ,पास्पालम	स्लिप	१/-	१	१	
	सम्वासेटारिया	स्लिप	१/-	१	१	
	किम्बु पोलीपट	गोटा	१०/-	१०	१०	
	किम्बु कटीङ्ग	गोटा			७	
	राई खानियोको बिरुवा	गोटा	७/-	२०	२०	
	सि ओ ५	गोटा	५/-	५	५	
९५	**बन**					
१	रुख कटान गर्ने					
	समथर जमिनमा	घ.फि.	१३.२	१४.५	१४.५	
	सामान्य भिरालो जमिनमा	घ.फि.	१९.८	२२	२२	
	भिरालोमा	घ.फि.	२४.२	२६.५	२६.५	
१.१	सेक्सनिङ्ग गर्ने	घ.फि.	८.८	९.५	९.५	
१.२	बोक्रा हटाउने	घ.फि.	५.५	६	६	
१.३	नापी तथा नम्बरिङ्ग गर्ने	घ.फि.	३.३	३.५	३.५	
१.४	गोलिया यार्डिङ्ग गर्ने	घ.फि.	१६.५	१८	१८	
१.५	गोलिया काठ लोडिङ्ग गर्ने	घ.फि.	१९.८	२१.५	२१.५	
	गोलिया काठ अनलोडिङ्ग गर्ने	घ.फि.	१३.२	१४.५	१४.५	
	पाईलिङ्ग गर्ने	घ.फि.	११	१२	१२	
	ढुवानी ५ कि.मी. सम्म	घ.फि.	३३	३६	३६	
	ढुवानी ५ किमी भन्दा बढी	घ.फि.			४	
	हाते आरा बाट चिरान गरि फन्टा तयार गर्ने	घ.फि.			४००	
२	ढुवानी ५ की.मी सम्म दाउरा कटान मुछान गर्ने	चट्टा	२७५०	३०२५	३०२५	
२.१	यार्डिङ्ग गर्ने (20x5x5 फिट साईज)	चट्टा	१६५०	१८१५	१८१५	
२.२	लोडिङ्ग गर्ने(20x5x5 फिट साईज)	चट्टा	१६५०	१८१५	१८१५	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
२.३	अनलोडिङ्ग गर्ने(20x5x5 फिट साईज)	चट्टा	९९०	१०८९	१०८९	
२.४	ढुवानी(20x5x5 फिट साईज)	चट्टा	२४२०	२६६२	२६६२	
२.५	घाटगद्दी गर्ने	चट्टा	३९	४२.९	०	
२.६	चट्टा निर्माण(20x5x5 फिट साईज)	चट्टा	११००	१२१०	१२१०	
३	जडिबुटी तथा गैरकाष्ठ वन पैदावारको संकलन खर्च					
३.१	तेजपात संकलन	के.जी.		२५	२५	
३.२	दालचिनी बोक्रा संकलन	के.जी.		३५	३५	
३.३	सिंठी तथा काउलो बोक्रा संकलन	के.जी.		३०	३०	
३.४	चुत्रो बोक्रा संकलन	के.जी.		३०	३०	
४	बिरुवा					
४.१	बोधिचित्त अगरउड समेतका बहुमुल्य प्रजातीका बहुवर्षे बिरुवा	गोटा		५००	५००	
४.२	रुद्राक्ष तथा श्रीखण्ड बिरुवा	गोटा		२५०	२५०	
४.३	कुरीलो बिरुवा	गोटा		२५	२५	
४.४	गुर्जो बिरुवा	गोटा		१५	१५	
४.५	किम्बु बिरुवा पोलिथिन	गोटा		१५	१५	
४.६	टिमुर बिरुवा	गोटा	४५	५०	५०	
४.७	तेजपात बिरुवा	गोटा	१७	२५	२५	
५	गोठेमल	के.जी.		५	५	
	अम्रिसो (जरा समेत)	गोटा	७	७	७	
	नेपियर सेट	गोटा	३	३	३	
	बाँस राइजोम सहित	गोटा	१३८	२५०	३००	
	बासको कलमी विरुवा एक वर्ष भन्दा माथि	गोटा			२००	
	पोलिथिन टयुव (२०० गेज)	के.जी	३००	३००	३५०	
	बैस	गोटा			५०	
	एभाकाडो	गोटा			२००	
६	Fruit Seedling					
	अमरपाली २ वर्षे कलमी	गोटा			२००	
	अन्य आँप	गोटा			१५०	
	कागती २ वर्षे कलमी	गोटा			११५	
	लिचि २ वर्षे कलमी	गोटा			१०५	
	अम्बा २ वर्षे	गोटा			१००	
	कटहर २ वर्षे	गोटा			१००	
	बासको विजु विरुवा					
	एक वर्षे	गोटा			२१	
	दुई वर्षे	गोटा			४१	
	निगालो (जरा सहित)	गोटा	१०	१०	१०	
	बाँस	गोटा	१२५	१७५	१७५	
	तेजपात बिरुवा (पोलिथिन)	गोटा	१७	२५	२५	
	टिमुर बिरुवा (थैली)	गोटा	४५	४५	०	

क्र.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
	चिउरी लगायत जडिबुटी बिरुवा	गोटा	२५	२५	२५	
	बाँसको कटिङ बिरुवा	गोटा	१२५	१२५	१२५	
	सौठ सल्ला बिरुवा	गोटा	३५	३५	३५	
	ओखर बिरुवा	गोटा	१२५	१२५	१२५	
	कपुर बिरुवा	गोटा	२०	२५	२५	
	लप्सी बिरुवा	गोटा	२५	२५	२५	
	चिराइतो बिरुवा	गोटा	६	६	६	
	धुपी बिरुवा	गोटा	१७	१७	१७	
	खर	मुठा	११	११	११	
	कफी	गोटा	१५	१५	१५	
	लहरे पिपल	गोटा	१५	१५	१५	
	बहुवर्षिय बिरुवा खरिद सौन्दर्य प्रजाति (निजी नर्सरी बाट)	गोटा	५००	५००	५००	
	विविध					
९६	डोरी नरिवल	के.जी.	१५०	१५०	१५०	
९७	दाउरा	के.जी.	१०	१०	१०	
९८	खाली जुट बोरा: नयाँ ठूलो	गोटा	११	११	११	
९९	खाली जुट बोरा: पुरानो	गोटा	२५	२५	२५	
१००	सिमेन्टको खाली बोरा	गोटा	१०	१०	१०	
१०१	१२' x १२' प्लास्टिक त्रिपाल	गोटा	६४०	६४०	६४०	
१०२	पोलिथिन सीट (५००गेज)	र.मी.	१३	१३	१३	
१०३	ट्रान्सप्यारेन्ट सीट					
	०.६ मी.मी मोटाई	व.मी	६३५	६३५	६३५	
	०.८ मी.मी मोटाई	व.मी	७८५	७८५	७८५	
	१.२ मी.मी मोटाई	व.मी	१००१	१००१	१००१	
	१.२ मी.मी मोटाई	गोटा	१५७०	१५७०	१५७०	
१०४	६' x ३' बाँसको मान्द्रो	गोटा	४२५	४२५	४२५	
१०५	नाइलनको डोरी	के.जी.	१२०	१२०	१२०	
१०६	६० से.मी. म्यानहोल कभर	गोटा	२०००	२०००	२०००	
१०७	**पर्दा सम्बन्धी**					
	पर्दाको पाइप(आल्मुनियम)	र.मी	८४	८४	८४	
	पर्दाको पाइप(स्पेशल प्लाटिक कोटेड)	र.मी	११५	११५	११५	
	इन्ड क्याप(आल्मुनियम)	गोटा	२१	२१	२१	
	इन्डक्याप(स्पेशल प्लाटिक कोटेड)	गोटा	२९	२९	२९	
	हुक(१०० पिसको प्याकेट)	प्याकेट	१८५	१८५	१८५	
१०८	**प्लाष्टिक पोखरीको लागि**					
	४५ जी.एस.एम.	व.मी.	५०	५०	५०	
	७० जी.एस.एम.	व.मी.	६०	६०	६०	
	९० जी.एस.एम.	व.मी.	६८	६८	६८	
	१२० जी.एस.एम.	व.मी.	८९	८९	८९	
	१५० जी.एस.एम.	व.मी.	१३६	१३६	१३६	
	२०० जी.एस.एम.	व.मी.	१८८	१८८	१८८	
१०९	ঘ मी.मी. बाक्लो **UPVC** सिटले छाना छाउने					
	ঘ मी.मी. बाक्लो **UPVC** सिट(छाना छाउने)	व.मी.	१४२८	१४२८	१४२८	
	ঘ मी.मी. बाक्लो **UPVC** सिट(धुरी छाउने) 2' x 3' 5"	र.मी.	१३८०	१३८०	१३८०	
११०	जे हूक	गोटा	८	८	८	
१११	क्लीप	गोटा	९	९	९	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
	३ " किल्ला	गोटा	१३	१३	१३	
	२.५ " किल्ला	गोटा	१२	१२	१२	
	२.० " किल्ला	गोटा	१४	१४	१४	
	१.५ " किल्ला	गोटा	१४	१४	१४	
	१.० " किल्ला	गोटा	१२	१२	१२	
११२	**UPVC Door/Windows**					
	Upvc sliding windows having frame (80/50mm), window sash (38/62mm), 2.5mm wall thk inside 1.5mm galvanized reinforcement with 5mm clear normal glass and using EPDM rubber gasket including the cost of materials,labour and fitting all complete.	Sq.Ft	६५०	५८५	५८५	
	Upvc sliding windows having frame (60/58mm), window sash 104/60mm door panel 20x200mm inside 1.5mm galvanized reinforcement including the cost of materials, labour and fitting all complete.	Sq.Ft	७५०	६७५	६७५	
	Upvc sliding windows having frame (88/25mm), window sash (42/62mm), 2.5mm wall thk inside 1.5mm galvanized reinforcement with 5mm clear normal glass and using EPDM rubber gasket including the cost of materials,labour and fitting all complete.	Sq.Ft	६७५	६०८	६०८	
११३	रेडिमेड झ्याल, ढोका र पार्टिसन, सिलीङ तथा छानाहरु					
१	**IRON DOOR/WINDOWS/VENTILATION**					
१.१	Powder Coated Iron Door/Window/Ventilation Frame of Size 100mmX50mm with 1.6mm thick moulded Iron Sheet Incuding Holdfast,hing etc.	R.ft		२७०	२७०	
१.२	Powder Coated Iron Door/Window/Ventilation Glaze Shutter of Size 70mmX25mm with 1mm thick moulded Iron Sheet Incuding 4mm plain glass and accessories and fitting all complete .	Sq.Ft		६१०	६१०	
१.३	Powder Coated Iron Door/Window/Ventilation Glaze Shutter of Size 70mmX25mm with 1mm thick moulded Iron Sheet Incuding 4mm plain glass and accessories and fitting all complete (Single batten added)	Sq.Ft		६५०	६५०	
१.४	Powder Coated Almunium Window/Ventilation Frame of Size 38mmX20mm and fitting all complete	Sq.Ft		४२५	४२५	
२	**Readymade Fiber Door**					
२.१	Fiber Singel Simple panel	Sq.Ft		७०८	७०८	
२.२	Fiber dauble simply desigined panel	Sq.Ft		७९६	७९६	
२.३	Fiber dauble desigined panel	Sq.Ft		११९५	११९५	
२.४	28mm fiber lamination board	Sq.Ft		३१०	३१०	

क्र.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफियत
	Puff Panel (Roofing Panel)					
२.५	38mm thick panel	Sq.Ft		१९९	१९९	
२.६	40mm thick panel	Sq.Ft		२१७	२१७	
२.७	75mm thick panel	Sq.Ft		२७०	२७०	
	Puff Panel (Wall Panel)					
२.८	30mm thick panel	Sq.Ft		१६८	१६८	
२.९	40mm thick panel	Sq.Ft		१९०	१९०	
२.१०	50mm thick panel	Sq.Ft		२०८	२०८	
२.११	65mm thick panel	Sq.Ft		२३५	२३५	
२.१२	75mm thick panel	Sq.Ft		२५२	२५२	
३	**Readymade RCC door, Window & arc**					
३.१	Readymade RCC door, Window & frames of section 4"x2.75x with concrete mix desigine of 1:1:1 proportion and 2 Nos of 7mm diameter rebar incuding arrangement of necessary holes and safety plates all complete	R.ft		२३६	२३६	
३.२	Readymade RCC Ventilation of section 4"x2.75x with concrete mix desigine of 1:1:1 proportion and 2 Nos of 7mm diameter rebar incuding arrangement of necessary holes and safety plates all complete	R.ft		२३६	२३६	
३.३	Readymade RCC Doors & Window Arc Frame (Semi Circular) of section 4"x2.75x with concrete mix desigine of 1:1:1 proportion and 2 Nos of 7mm diameter rebar incuding arrangement of necessary holes and safety plates all complete	R.ft		४७५	४७५	
४	**Ceilings Works**					
४.१	Providing and fixing of PVC ceiling/wall with 8mm thick panels including all necessary support fixtures.	Sq.Ft		२२५	२२५	
४.२	Providing and fixing Gypsum Board including all necessary support fixtures.					
५	**Roofing Works**					
५.१	Corrugated/Plain Fiber Glass Sheet					
	0.8mm thick plain	प्रति.व फि.		११५	११५	
	0.8mm thick corrugated	प्रति.व फि.		१२७	१२७	
११४	स्टेनलेस स्टील रेलीङ.					
	४ लाईन (२ इन्च माथिल्लो र १ इन्च तल्लो पाईप)	र.मी.	३२८०	३२८०	३६०८	
	३ लाईन (२ इन्च माथिल्लो र १ इन्च तल्लो पाईप)	र.मी.	२९५२	२९५२	३२४७	
	३ लाईन (१.५ इन्च माथिल्लो र १ इन्च तल्लो पाईप)	र.मी.	२७८८	२७८८	३०६७	
	स्टानलेस स्टील पाईप (२ इन्च)	र.मी.	४५०	४५०	४९५	
	स्टानलेस स्टील पाईप (१.५ इन्च)	र.मी.	३५०	३५०	३८५	
	स्टानलेस स्टील पाईप (१ इन्च)	र.मी.	२५०	२५०	२७५	
११५	कम्पोजीट प्यानल					
	४ मी.मी. कम्पोजीट प्यानल	ब. मी.	१६२८	१६२८	१६२८	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कैफि
	३ मी.मी. कम्पोजीट प्यानल	ब. मी.	१२५०	१२५०	१२५०	
	२.५ मी.मी. कम्पोजीट प्यानल	ब. मी.	१०४०	१०४०	१०४०	
११६	Hessian jute	ब. मी	४०		०.००	
११७	**Water proofing Treatment**					
	Zentrifix-elastic of MC-Bauchemie or equivalent or superior	के.जी.	७३५	७३५	७३५	
	Dichtament DS mixed with Nafufill BB2 or Nafufill SBR of MC-Bauchemie or equivalent or superior	के.जी.	६३०	६३०	६३०	
	Dichtament DS2 of MC-Bauchemie or equivalent or superior	के.जी.	६३०	६३०	६३०	
	Roofex 200 the product of MC-bauchemie or equivalent or superior	के.जी.	११५५	११५५	११५५	
	MC-special DM of MC -Bauchemie or equivalent or superior	के.जी.	५३	५३	५३	
११८	**Water Repellent Coating**					
११९	Nisiwa-SH or MC-bauchemie or equivalent or superior	के.जी.	३१५	३१५	३१५	
१२०	**Structural Strengthening and retrofitting Works**					
	FYFE wrap carbon fiber	व.फी.	१७३३	१७३३	१७३३	
१२१	**Cementious Injection**					
	MC-Bauchemie Centricrete or equivalent or superior	के.जी.	३००	३००	३००	
१२२	**Epoxy Injection**					
	MC Bauchemie or equivalent or superior	के.जी.	८४५३	८४५३	८४५३	
१२३	**PU Injection**					
	MC Bauchemie MC Injekt 2300 NV or equivalent or superior	के.जी.	११९४९	११९४९	११९४९	
	MC Bauchemie MC Injekt 2700 NV or equivalent or superior	के.जी.	११९४९	११९४९	११९४९	
	MC Bauchemie MC Injekt 2300 plus (Resin+Hardneer or equivalent or superior	के.जी.	११९४९	११९४९	११९४९	
१२४	**Concrete Admixture**					
	MC Zentrament F BV -high early strength super	के.जी.	१२०	१२०	१२०	
	MC Zentrament Super BV -Super plasticizer an	के.जी.	१२०	१२०	१२०	
	MC Powerflow 2239-high range water reducer	के.जी.	३८०	३८०	३८०	
१२५	**Water Proofing Membrane**					
	Hi-Tuff TPO Membrane (1.5 mm thickness) of Le	के.जी.	८८०	८८०	८८०	
१२६	**CPVC Pipe and fittings PLUMBING SYSTEM**					
	CPVC PIPE SDR -11					
	15mm dia	र.मी.	१३१	१३५	१३५	
	20mm dia	र.मी.	२०४	२१०	२१०	
	25mm dia	र.मी.	२९९	३१०	३१०	
	32mm dia	र.मी.	४४४	४५०	४५०	
	40mm dia	र.मी.	६३१	६३५	६३५	
	50mm dia	र.मी.	१०६४	१०७५	१०७५	
	Ball Valve(normal)					
	15mm dia	गोटा	२२१	२३०	२३०	
	20mm dia	गोटा	३४१	३५०	३५०	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कै
	25mm dia	गोटा	५६०	५८०	५८०	
	32mm dia	गोटा	९९४	१०००	१०००	
	40mm dia	गोटा	१६६०	१६७५	१६७५	
	50mm dia	गोटा	२४६०	२४७०	२४७०	
	step over bend					
	15mm dia	गोटा	१०४	११०	११०	
	20mm dia	गोटा	१५०	१६०	१६०	
	25mm dia	गोटा	२९४	३००	३००	
	Elbow 90^0					
	15mm dia	गोटा	१७	१८	१८	
	20mm dia	गोटा	३१	३५	३५	
	25mm dia	गोटा	५८	६०	६०	
	32mm dia	गोटा	११७	१२०	१२०	
	40mm dia	गोटा	१६९	१७५	१७५	
	50mm dia	गोटा	३७२	३८०	३८०	
	Elbow 45^0					
	15mm dia	गोटा	२२	२३	२३	
	20mm dia	गोटा	३२	३४	३४	
	25mm dia	गोटा	५१	५५	५५	
	32mm dia	गोटा	८९	९५	९५	
	40mm dia	गोटा	२०८	२१०	२१०	
	50mm dia	गोटा	४७९	४८५	४८५	
	coupler (socket)					
	15mm dia	गोटा	१३	१३	१३	
	20mm dia	गोटा	२२	२२	२२	
	25mm dia	गोटा	३८	३८	३८	
	32mm dia	गोटा	७६	७६	७६	
	40mm dia	गोटा	१२३	१२३	१२३	
	50mm dia	गोटा	२६०	२६०	२६०	
	Equal Tee					
	15mm dia	गोटा	२१	२१	२१	
	20mm dia	गोटा	४३	४३	४३	
	25mm dia	गोटा	७४	७४	७४	
	32mm dia	गोटा	१५५	१५५	१५५	
	40mm dia	गोटा	२३३	२३३	२३३	
	50mm dia	गोटा	५०४	५०४	५०४	
	Cross Tee					
	15mm dia	गोटा	५४	५४	५४	
	20mm dia	गोटा	१०२	१०२	१०२	
	25mm dia	गोटा	१९६	१९६	१९६	
	Union					
	15mm dia	गोटा	१३३	१३३	१३३	
	20mm dia	गोटा	२०९	२०९	२०९	
	25mm dia	गोटा	२४८	२४८	२४८	
	32mm dia	गोटा	३६४	३६४	३६४	
	40mm dia	गोटा	५२०	५२०	५२०	

क्र.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट
	50mm dia	गोटा	८५३	८५३	८५३
	End cap				
	15mm dia	गोटा	१३	१३	१३
	20mm dia	गोटा	२०	२०	२०
	25mm dia	गोटा	३०	३०	३०
	32mm dia	गोटा	५१	५१	५१
	40mm dia	गोटा	८३	८३	८३
	50mm dia	गोटा	१५०	१५०	१५०
	SINGLE UNION COMPACT BALL VALVE				
	15mm dia	गोटा	२१७	२१७	२१७
	20mm dia	गोटा	३६६	३६६	३६६
	25mm dia	गोटा	६१८	६१८	६१८
	32mm dia	गोटा	१०५२	१०५२	१०५२
	40mm dia	गोटा	१७७१	१७७१	१७७१
	50mm dia	गोटा	२६२४	२६२४	२६२४
	MALE THREADED ADAPTER BRASS				
	15mm dia	गोटा	२०१	२०१	२०१
	20mm dia	गोटा	२७७	२७७	२७७
	25mm dia	गोटा	४८३	४८३	४८३
	32mm dia	गोटा	१०६६	१०६६	१०६६
	40mm dia	गोटा	१३१०	१३१०	१३१०
	50mm dia	गोटा	२३४६	२३४६	२३४६
	FEMALE THREADED ADAPTER BRASS				
	15mm dia	गोटा	२०८	२०८	२०८
	20mm dia	गोटा	२७८	२७८	२७८
	25mm dia	गोटा	५०७	५०७	५०७
	32mm dia	गोटा	९७०	९७०	९७०
	40mm dia	गोटा	१२०७	१२०७	१२०७
	50mm dia	गोटा	१९६४	१९६४	१९६४
	FEMALE THREADED ELBOW BRASS				
	1/2*1/2	गोटा	१०३	१०३	१०३
	3/4*3/4	गोटा	१५०	१५०	१५०
	3/4*1/2	गोटा	१०६	१०६	१०६
	1*1/2	गोटा	१६९	१६९	१६९
	MALE THREADED ELBOW				
	20mm dia x 1/2	गोटा	१७५	१७५	१७५
	25mm dia X 1/2	गोटा	१८६	१८६	१८६
	25mm dia X 3/4	गोटा	२१८	२१८	२१८
	32mm dia X 1/2	गोटा	३५२	३५२	३५२
	32mm dia X 3/4	गोटा	२७०	२७०	२७०
	32mm dia X 1	गोटा	४९४	४९४	४९४
	FEMALE THREADED TEE				
	20mm dia x 1/2	गोटा	१३४	१३४	१३४
	25mm dia X 1/2	गोटा	१५६	१५६	१५६
	25mm dia X 3/4	गोटा	१९९	१९९	१९९

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट
	32mm dia X 1/2	गोटा	२३०	२३०	२३०
	32mm dia X 3/4	गोटा	२५३	२५३	२५३
	32mm dia X 1	गोटा	४०२	४०२	४०२
	MALE THREADED TEE				
	20mm dia x 1/2	गोटा	१८१	१८१	१८१
	25mm dia X 1/2	गोटा	१८१	१८१	१८१
	25mm dia X 3/4	गोटा	२२२	२२२	२२२
	32mm dia X 1/2	गोटा	२७७	२७७	२७७
	32mm dia X 3/4	गोटा	२८४	२८४	२८४
	32mm dia X 1	गोटा	५०८	५०८	५०८
	FEMALE THREADED,ELBOW,WITHDISK				
	20mm dia x 1/2	गोटा	१८६	१८६	१८६
	25mm dia X 1/2	गोटा	२३८	२३८	२३८
	25mm dia X 3/4	गोटा	२७४	२७४	२७४
	MALE THREADED,ELBOW,WITHDISK				
	20mm dia x 1/2	गोटा	१४९	१४९	१४९
	25mm dia X 1/2	गोटा	२५०	२५०	२५०
	25mm dia X 3/4	गोटा	३०५	३०५	३०५
	MALE UNION				
	20mm dia x 1/2	गोटा	३०६	३०६	३०६
	25mm dia X 1/2	गोटा	४४३	४४३	४४३
	REDUCTION coupler				
	3/4*1/2	गोटा	२५	२५	२५
	1*1/2	गोटा	३५	३५	३५
	1*3/4	गोटा	३६	३६	३६
	1-1/4*1/2	गोटा	९६	९६	९६
	1-1/4*3/4	गोटा	९८	९८	९८
	1-1/4*1	गोटा	१०३	१०३	१०३
	1-1/2*1/2	गोटा	११९	११९	११९
	1-1/2*3/4	गोटा	१३७	१३७	१३७
	1-1*1/2	गोटा	१४३	१४३	१४३
	1-1/2*1-1/4	गोटा	१५०	१५०	१५०
	2*3/4	गोटा	२६०	२६०	२६०
	2*1	गोटा	२०८	२०८	२०८
	2*1-1/4	गोटा	२३३	२३३	२३३
	2*1-1/2	गोटा	२२९	२२९	२२९
	REDUCTION TEE				
	3/4*1/2	गोटा	४५	४५	४५
	1*1/2	गोटा	६७	६७	६७
	1*3/4	गोटा	७३	७३	७३
	1-1/4*1/2	गोटा	१९२	१९२	१९२
	1-1/4*3/4	गोटा	२०५	२०५	२०५
	1-1/4*1	गोटा	१२१	१२१	१२१
	1-1/2*1/2	गोटा	२९५	२९५	२९५
	1-1/2*3/4	गोटा	३१४	३१४	३१४
	1-1*1/2	गोटा	२११	२११	२११

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट
	1-1/2*1-1/4	गोटा	२७०	२७०	२७०
	2*3/4	गोटा	४१९	४१९	४१९
	2*1	गोटा	४२४	४२४	४२४
	2*1-1/4	गोटा	४५२	४५२	४५२
	2*1-1/2	गोटा	४६२	४६२	४६२
	REDUCING ELBOW				
	3/4*1/2	गोटा	४५	४५	४५
१२७	ITPF PPR 3 LAYER PLUMBING SYSTEM				
	PIPE (PN 4/SDR 26) - 3 LAYER				
	40mm dia	र.मी.	९५	९५	१०५
	50mm dia	र.मी.	१३६	१३६	१५०
	63mm dia	र.मी.	२१५	२१५	२३७
	PIPE (PN 6/SDR 17.6) - 3 LAYER				
	32mm dia	र.मी.	८२	८२	९०
	40mm dia	र.मी.	१२७	१२७	१४०
	50mm dia	र.मी.	१९८	१९८	२१८
	63mm dia	र.मी.	३०८	३०८	३३९
	PIPE (PN 10/SDR 11) - 3 LAYER	र.मी.			
	20mm dia	र.मी.	४८	४८	५३
	25mm dia	र.मी.	७४	७४	८१
	32mm dia	र.मी.	११८	११८	१३०
	40mm dia	र.मी.	१८६	१८६	२०५
	50mm dia	र.मी.	२८९	२८९	३१८
	63mm dia	र.मी.	४८०	४८०	५२८
	PIPE (PN 16/SDR 7.4) - 3 LAYER				
	16mm dia	र.मी.	४४	४४	४८
	20mm dia	र.मी.	६६	६६	७३
	25mm dia	र.मी.	१०८	१०८	११९
	32mm dia	र.मी.	१७३	१७३	१९०
	40mm dia	र.मी.	२६९	२६९	२९६
	50mm dia	र.मी.	४१९	४१९	४६१
	63mm dia	र.मी.	६६०	६६०	७२६
	PIPE (PN 20/SDR 6) - 3 LAYER				
	16mm dia	र.मी.	४७	४७	५२
	20mm dia	र.मी.	८०	८०	८८
	25mm dia	र.मी.	१२५	१२५	१३८
	32mm dia	र.मी.	२०३	२०३	२२३
	40mm dia	र.मी.	३१४	३१४	३४५
	50mm dia	र.मी.	४८७	४८७	५३६
	63mm dia	र.मी.	७७३	७७३	८५०
	Palstic Ball Valve				
	20mm dia	गोटा	१२१	१२१	१३३
	25mm dia	गोटा	१७३	१७३	१९०
	32mm dia	गोटा	२७५	२७५	३०३
	40mm dia	गोटा	६६५	६६५	७३२
	50mm dia	गोटा	८८९	८८९	९७८

क्र.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कै
	63mm dia	गोटा	८४६	८४६	९३१	
	Stop Valve					
	20mm dia	गोटा	३१८	३१८	३५०	
	25mm dia	गोटा	४२२	४२२	४६४	
	32mm dia	गोटा	५०९	५०९	५६०	
	40mm dia	गोटा	८३६	८३६	९२०	
	50mm dia	गोटा	१२१७	१२१७	१३३९	
	63mm dia	गोटा	१६२२	१६२२	१७८४	
	Concealead Stop Valve					
	20mm dia	गोटा	८२२	८२२	९०४	
	25mm dia	गोटा	९१३	९१३	१००४	
	32mm dia	गोटा	१०६६	१०६६	११७३	
	Elbow 90^0					
	20mm dia	गोटा	१४	१४	१५	
	25mm dia	गोटा	२५	२५	२८	
	32mm dia	गोटा	४४	४४	४८	
	40mm dia	गोटा	९१	९१	१००	
	50mm dia	गोटा	१५५	१५५	१७१	
	63mm dia	गोटा	३००	३००	३३०	
	Elbow 45^0					
	20mm dia	गोटा	१७	१७	१९	
	25mm dia	गोटा	२९	२९	३२	
	32mm dia	गोटा	४२	४२	४६	
	40mm dia	गोटा	८३	८३	९१	
	50mm dia	गोटा	१४६	१४६	१६१	
	63mm dia	गोटा	२३६	२३६	२६०	
	Socket					
	20mm dia	गोटा	११	११	१२	
	25mm dia	गोटा	१७	१७	१९	
	32mm dia	गोटा	२६	२६	२९	
	40mm dia	गोटा	५०	५०	५५	
	50mm dia	गोटा	७९	७९	८७	
	63mm dia	गोटा	१५०	१५०	१६५	
	Tee					
	20mm dia	गोटा	१७	१७	१९	
	25mm dia	गोटा	३०	३०	३३	
	32mm dia	गोटा	५३	५३	५८	
	40mm dia	गोटा	१०८	१०८	११९	
	50mm dia	गोटा	१७८	१७८	१९६	
	63mm dia	गोटा	३५०	३५०	३८५	
	Cross Tee					
	20mm dia	गोटा	३१	३१	३४	
	25mm dia	गोटा	४३	४३	४७	
	32mm dia	गोटा	७९	७९	८७	
	Crossover					
	20mm dia	गोटा	९०	९०	९९	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कै
	25mm dia	गोटा	१२५	१२५	१३८	
	32mm dia	गोटा	१८४	१८४	२०२	
	Wall clamp					
	20mm dia	गोटा	१२	१२	१३	
	25mm dia	गोटा	१४	१४	१५	
	32mm dia	गोटा	१७	१७	१९	
	40mm dia	गोटा	२३	२३	२५	
	50mm dia	गोटा	३५	३५	३९	
	63mm dia	गोटा	४४	४४	४८	
	Union					
	20mm dia	गोटा	६२	६२	६८	
	25mm dia	गोटा	११२	११२	१२३	
	32mm dia	गोटा	१७९	१७९	१९७	
	40mm dia	गोटा	३०७	३०७	३३८	
	50mm dia	गोटा	५०८	५०८	५५९	
	63mm dia	गोटा	६६४	६६४	७३०	
	Flange					
	40mm dia	गोटा	३२८	३२८	३६१	
	Shot Plug					
	20mm dia	गोटा	१०	१०	११	
	25mm dia	गोटा	१२	१२	१३	
	32mm dia	गोटा	३२	३२	३५	
	Long Plug					
	20mm dia	गोटा	१७	१७	१९	
	Tank Nipple					
	20mm dia	गोटा	६६	६६	७३	
	25mm dia	गोटा	१०६	१०६	११७	
	32mm dia	गोटा	१२१	१२१	१३३	
	Rubber seal					
	6" width	र.मि.	१०००	१०००	११००	
	9" width	र.मि.	८००	८००	८८०	
	FEMALE THREADED SOCKET					
	20mm dia x 1/2	गोटा	१२७	१२७	१४०	
	25mm dia X 1/2	गोटा	१४४	१४४	१५८	
	25mm dia X 3/4	गोटा	१६०	१६०	१७६	
	32mm dia X 1/2	गोटा	१५२	१५२	१६७	
	32mm dia X 3/4	गोटा	१६४	१६४	१८०	
	32mm dia X 1	गोटा	३५९	३५९	३९५	
	40mm dia X 1.25	गोटा	६१७	६१७	६७९	
	50mm dia X 3/4	गोटा	७९२	७९२	८७१	
	63mm dia X 2	गोटा	११७०	११७०	१२८७	
	75mm dia X 2.5	गोटा	२३६८	२३६८	२६०५	
	MALE THREADED SOCKET					
	20mm dia x 1/2	गोटा	१७०	१७०	१८७	
	25mm dia X 1/2	गोटा	१६४	१६४	१८०	
	25mm dia X 3/4	गोटा	२०६	२०६	२२७	

क्र.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कै
	32mm dia X 1/2	गोटा	२३४	२३४	२५७	
	32mm dia X 3/4	गोटा	२४२	२४२	२६६	
	32mm dia X 1	गोटा	४६२	४६२	५०८	
	40mm dia X 1.25	गोटा	६९५	६९५	७६५	
	50mm dia X 3/4	गोटा	१०४५	१०४५	११५०	
	63mm dia X 2	गोटा	१५१३	१५१३	१६६४	
	75mm dia X 2.5	गोटा	३६२८	३६२८	३९९१	
	FEMALE THREADED ELBOW					
	20mm dia x 1/2	गोटा	१३१	१३१	१४४	
	25mm dia X 1/2	गोटा	१८६	१८६	२०५	
	25mm dia X 3/4	गोटा	१९४	१९४	२१३	
	32mm dia X 1/2	गोटा	२५४	२५४	२७९	
	32mm dia X 3/4	गोटा	२८७	२८७	३१६	
	32mm dia X 1	गोटा	३५८	३५८	३९४	
	MALE THREADED ELBOW					
	20mm dia x 1/2	गोटा	१७५	१७५	१९३	
	25mm dia X 1/2	गोटा	१८६	१८६	२०५	
	25mm dia X 3/4	गोटा	२१८	२१८	२४०	
	32mm dia X 1/2	गोटा	३५२	३५२	३८७	
	32mm dia X 3/4	गोटा	२७०	२७०	२९७	
	32mm dia X 1	गोटा	४९४	४९४	५४३	
	FEMALE THREADED TEE					
	20mm dia x 1/2	गोटा	१३४	१३४	१४७	
	25mm dia X 1/2	गोटा	१५६	१५६	१७२	
	25mm dia X 3/4	गोटा	१९९	१९९	२१९	
	32mm dia X 1/2	गोटा	२३०	२३०	२५३	
	32mm dia X 3/4	गोटा	२५३	२५३	२७८	
	32mm dia X 1	गोटा	४०२	४०२	४४२	
	MALE THREADED TEE					
	20mm dia x 1/2	गोटा	१८१	१८१	१९९	
	25mm dia X 1/2	गोटा	१८१	१८१	१९९	
	25mm dia X 3/4	गोटा	२२२	२२२	२४४	
	32mm dia X 1/2	गोटा	२७७	२७७	३०५	
	32mm dia X 3/4	गोटा	२८४	२८४	३१२	
	32mm dia X 1	गोटा	५०८	५०८	५५९	
	FEMALE THREADED,ELBOW,WITHDISK					
	20mm dia x 1/2	गोटा	१८६	१८६	२०५	
	25mm dia X 1/2	गोटा	२३८	२३८	२६२	
	25mm dia X 3/4	गोटा	२७४	२७४	३०१	
	MALE THREADED,ELBOW,WITHDISK					
	20mm dia x 1/2	गोटा	१४९	१४९	१६४	
	25mm dia X 1/2	गोटा	२५०	२५०	२७५	
	25mm dia X 3/4	गोटा	३०५	३०५	३३६	
	MALE UNION				०	
	20mm dia x 1/2	गोटा	३०६	३०६	३३७	
	25mm dia X 1/2	गोटा	४४३	४४३	४८७	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट
	REDUCTION SOCKET				
	25-20	गोटा	१९	१९	२१
	32-20	गोटा	२६	२६	२९
	32-25	गोटा	२८	२८	३१
	40-20	गोटा	४०	४०	४४
	40-25	गोटा	४४	४४	४८
	40-32	गोटा	५५	५५	६१
	50-20	गोटा	७१	७१	७८
	50-25	गोटा	७८	७८	८६
	50-32	गोटा	८२	८२	९०
	50-40	गोटा	९७	९७	१०७
	63-25	गोटा	१४४	१४४	१५८
	63-32	गोटा	१४९	१४९	१६४
	63-40	गोटा	१५०	१५०	१६५
	63-50	गोटा	१५४	१५४	१६९
	REDUCTION TEE				
	25*20*25	गोटा	३४	३४	३७
	32*20*32	गोटा	५३	५३	५८
	32*25*32	गोटा	५९	५९	६५
	40*20*40	गोटा	८३	८३	९१
	40*25*40	गोटा	९०	९०	९९
	40*32*40	गोटा	९५	९५	१०५
	50*20*50	गोटा			
	50*25*50	गोटा	१८८	१८८	२०७
	50*32*50	गोटा	१९३	१९३	२१२
	50*40*50	गोटा	२०५	२०५	२२६
	63*25*63	गोटा	२४६	२४६	२७१
	63*32*63	गोटा	२४७	२४७	२७२
	63*40*63	गोटा	२५०	२५०	२७५
	63*50*63	गोटा	२७४	२७४	३०१
	REDUCING ELBOW				
	25-20	गोटा	२६	२६	२९
	32-20	गोटा	४०	४०	४४
	32-25	गोटा	५०	५०	५५
	40-32	गोटा	१२६	१२६	१३९
	50-40	गोटा	१४०	१४०	१५४
१२८,क	**Aluminum ढोका तथा झ्याल**				
	Aluminium Sliding Window without ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	व.मी	5800	५८००	६३८०

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट
	Aluminium Sliding Window with fixed ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete **(Size >30 Sq. ft)**	ब.मी	6100	६१००	६७१०
	Aluminium Sliding Window with sliding ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete **(Size >30 Sq. ft)**	ब.मी	6500	६५००	७१५०
	Aluminium Sliding Window without ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete **(Size 20-30 Sq. ft)**	ब.मी	6100	६१००	६७१०
	Aluminium Sliding Window with fixed ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete **(Size 20-30 Sq. ft)**	ब.मी	6780	६७८०	७४५८
	Aluminium Sliding Window with sliding ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete **(Size 20-30 Sq. ft)**	ब.मी	7865	७८६५	८६५२
	Aluminium Swing Door with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete **(Size > 21Sq. ft)**	ब.मी	6780	६७८०	७४५८
	Aluminium Ventilation Louver with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	ब.मी	7460	७४६०	८२०६
	Aluminium Partition with naturally anodized aluminium (section 62mm*38mm*1.5mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	ब.मी	4070	४०७०	४४७७
	Glass Partition with naturally anodized aluminium (section 62mm*38mm*1.5mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete				
	8mm	ब.मी	५७१५	५७१५	६२८७
	10mm	ब.मी	७६००	७६००	८३६०
	12mm	ब.मी	९५००	९५००	१०४५०

क्र.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट
१२८,ख	**Aluminum ढोका तथा झ्याल**				
	Aluminium Sliding Window with sliding ventilation with naturally anodized aluminium (section 101mm*45mm*1.2 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	व.मी	५५२२	५५२२	६०७४
	Aluminium Swing Door with naturally anodized aluminium (section 101mm*45mm*1.2 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete (Size > 21Sq. ft)	व.मी	५५२२	५५२२	६०७४
	Aluminium Partition with naturally anodized aluminium (section 62mm*38mm*1.2 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	व.मी	३८०८	३८०८	४१८९
	Aluminium Partition with naturally anodized aluminium (section 101.6mm*44mm*1.2 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	व.मी		४३०४	४७३४
	90 Series				
	Providing and fixing Single Panel Casement (Hinged) Door of aluminium section in natural or color anodized/powder coated color Section size (87x56x1.2 mm) fit with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer)	sq.ft			६००
	Providing and fixing Double Panel Casement (Hinged) Door of aluminium section in natural or color anodized/powder coated color Section size (87x56x1.2 mm) fit with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer)	sq.ft			७२०
	Providing andd fixing 2 or 3 Panel Sliding Window of aluminium section naturally anodized or black anodized/powder coated color, Section size (87x56x1.2 mm) fit with 5 mm clear glass without fly mesh shutter. (window size 6'x5' or average area 30sq feet per window)	sq.ft			४२०
	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminium section in naturally anodized or black anodized/powder coated color, Seciton (87x65x1.2 mm) fit with 5 mm clear glass without fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window)	sq.ft			४५०
	Providing and fixing Fixed window of aluminium section in naturally anodized of black anodized/powder coated color, section size (87x56x1.2 mm) fit with 8 mm clear glass without fly mesh shutter (average area 5 sq. feet per panel)	sq.ft			३२०
	Providing and fixing Fly Mesh Shutter with aluminium fly mesh in 87x56x1.2 mm series sliding window (section thickness 1 mm)	sq.ft			१८८

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७७/७८ को स्विकृत दर रेट	आ.व. ०७८/७९ को स्विकृत दर रेट	आ.व. ०७९/८० को स्विकृत दर रेट	कै
	(Fix partition with aluminium composite pannel) Aluminium fix partition section size 87x56x1.2 mm net aluminium frame with 4mm thick aluminium composite pannel with all necessary fittings.	sq.ft			६००	
१२९,घ	**POWDER-COATED Winow & Doors (Acon powder coated MS frame -Produce by 10-tank chemical treatment, powder coated door and window frames)**					
	Door Profile size 100x50	र.फु			३००	
	Window profile Size 100x50	र.फु			३१५	
	Window profile Size 90x64	र.फु			३३५	
	Acon Powder coated MS glass window shutter	ब.फु			६९०	
	Acon Powder coated MS grill	के.जी			२८०	
	Acon Powder coated Doors Shutter Palla	के.जी			८३५	
१२८,ङ	**X-Ray lead Sheet**					
	1 mm thick	ब.मी	८०४०	८०४०	८८४४	
	1.5 mm thick	ब.मी	११२५६	११२५६	१२३८२	

१२९ यू.पी.भी सी पाइप

क.सं.	पाइप साइज		इकाई	स्विकृत नगर दर रेट ०७९/०८०				कैफियत
	मी.मी.	इन्च		2.5 kg/cm^2	4 kg/cm^2	6 kg/cm^2	10 kg/cm^2	
१	२०	१/२"	प्रति र.मी.	-	-	-	३३.००	
२	२५	३/४"	प्रति र.मी.	-	-	-	५२.००	
३	३२	१"	प्रति र.मी.	-	-	-	८४.००	
४	४०	१.२५"	प्रति र.मी.	-	-	८६.००	१३२.००	
५	५०	१.५"	प्रति र.मी.	-	-	१२८.००	२०८.००	
६	६३	२"	प्रति र.मी.	-	१४४.००	२१९.००	३३१.००	
७	७५	२.५"	प्रति र.मी.	-	२०५.००	३०८.००	४६७.००	
८	९०	३"	प्रति र.मी.	१९१.००	२९९.००	४३६.००	६८०.००	
९	११०	४"	प्रति र.मी.	२६८.००	४०९.००	६३२.००	१००६.००	
१०	१२५	४.५"	प्रति र.मी.	३६२.००	५६६.००	८३९.००	१२९५.००	
११	१४०	५"	प्रति र.मी.	४४७.००	७१९.००	१०४३.००	१६३२.००	
१२	१६०	६"	प्रति र.मी.	५७४.००	८८६.००	१३२४.००	२११९.००	
१३	१८०	७"	प्रति र.मी.	७४९.००	११९५.००	१७०६.००	२६७५.००	
१४	२००	८"	प्रति र.मी.	९१४.००	१४१८.००	२१८६.००	४०८२.००	

१३० यू.पी.भी सी पाइप फिटिङ्स

क.सं.	आइटम	इकाई	स्विकृत फिटिङ्सको नगर दर रेट ०७९/०८०				कैफियत
			२"	३"	४"	६"	इन्च
			५०	७५	११०	१६०	मी.मी.
१	Coupler	प्रति गोटा	३६	८२	१४७	३६२	
२	Bend 87.5^0	प्रति गोटा	४७	११५	२०८	५७३	
३	Bend 45^0	प्रति गोटा	४६	९६	१७०	६००	
४	Single Tee	प्रति गोटा	७०	१५८	२९२	७४१	
५	Pipe Clip	प्रति गोटा	२२	३२	४०	१३०	
६	Bend 87.5^0 with door	प्रति गोटा		१४६	२८७	८२६	
७	Single Tee with door	प्रति गोटा		२०९	३८६	१०२४	
८	Double Tee	प्रति गोटा		३३६	५३५		
९	Double Tee with door	प्रति गोटा		५६०	७८१		
१०	vent cowl	प्रति गोटा		६२	१०४		
११	Socket plug	प्रति गोटा		८८	१४३		
१२	Single Y	प्रति गोटा		२२७	४३५		
१३	Single Y with door	प्रति गोटा		२३९	४५७		
१४	Double Y	प्रति गोटा		३४५	६३८		
१५	Double Y with door	प्रति गोटा		४६४	६७८		
१६	Cleaning Pipe	प्रति गोटा		१५३	२९६		
१७	Nahani Trap 110x75	प्रति गोटा			२९२		
१८	W.C. connector(bent type)	प्रति गोटा			२१७		
१९	Square tile with jali	प्रति गोटा			११३		
२०	Round jali	प्रति गोटा			३९		
२१	End cap 50 mm	प्रति गोटा	२५		०		

१३१ पाइप तथा फिटिङ्गस

१३१.१ जी.आइ.फिटिङ्गस

क.सं.	आइटम	इकाई	स्विकृत फिटिङ्गसको नगर दर रेट ०७९ / ०८०									कैफियत
			१/२"	३/४"	१"	१.२५"	१.५"	२"	२.५"	३"	४"	इन्च
			१५	२०	२५	३२	४०	५०	६५	८०	१००	मी.मी.
१	एल्वो	प्रति गोटा	४७	७५	११९	१८५	२५४	३८६	-	१०२७	१८४१	
२	टी	प्रति गोटा	७५	११७	१५६	२५३	३०९	४८३	-	१२६८	२२६९	
३	सकेट	प्रति गोटा	४३	६७	८६	१३५	१८२	२८१	-	६३०	९९६	
४	युनियन	प्रति गोटा	१३०	१८२	२४२	३६१	४७८	६६५	-	१७६५	२४२१	
५	कस	प्रति गोटा	१११	१५०	२३९	३९९	५५०	८२३	-	-	-	
६	हेक्स निप्पल	प्रति गोटा	४९	७०	१०४	१६४	२०१	२९८	-	-	-	
७	रि. एल्वो	प्रति गोटा	-	८१	१२६	२०१	२७०	४१८	-	-	-	
८	रि. टी	प्रति गोटा	-	१२६	१७०	२६०	३४२	५४३	-	-	-	
९	रि. सकेट	प्रति गोटा	-	६७	९१	१४१	१७६	२९४	-	-	-	
१०	सि.आई क्याप	प्रति गोटा	१८	३२	४१	६९	८४	१०५	१९६	२६६	४०५	
११	सि.आई टैंक निप्पल	प्रति गोटा	१२९	१९५	२७१	-	-	-	-	-	-	
१२	चेक नट	प्रति गोटा	२८	४५	६०	६९	१२५	१६१	-	-	-	
१३	ब्रास युनियन (लोकल टाईप)	प्रति गोटा	१८०	३५८	४४८	६२६	८९६	१४३२	४७५१	७१२६	१११६५	
१४	ब्रास युनियन (यूएनएफ टाईप)	प्रति गोटा	३५३	५३०	७९५	१०७३	१५७८	२२०६	-	-	-	
१५	गेट भल्भ	प्रति गोटा	७१४	९९२	१५१५	२२७८	३०९८	४७८५	-	-	-	
१६	ग्लोब भल्भ	प्रति गोटा	६४५	१०९७	१५३०	३०९५	३९३०	५४७५	-	-	-	

१३१ पाइप तथा फिटिङ्गस

१३१.२ जी.आइ.फिटिङ्गस

क.सं.	आइटम	इकाई	प्रस्तावीत फिटिङ्सको दर रेट ०७९ / ०८०									कैफियत
			१/२"	३/४"	१"	१.२५"	१.५"	२"	२.५"	३"	४"	इन्च
			१५	२०	२५	३२	४०	५०	६५	८०	१००	मी.मी.
१७	जी.आई.+जी.आई फ्लेन्ज सेट	प्रति गोटा	-	-	-	-	१३३२	१५५९	२०६५	२४७०	३५११	
१८	जी.आई.+एच.डी.पी. फ्लेन्ज सेट	प्रति गोटा	-	-	-	-	१३३२	१५५९	२०६५	२४७०	३५११	
१९	एच.डी.पी..+एच.डी.पी. फ्लेन्ज सेट	प्रति गोटा	५२०	६८३	८१३	१००२	१३१३	१८८०	-	-	-	
२०	जी.आई बेन्ड	प्रति गोटा	१२६	२०२	३०५	५९५	७२१	१३२२	-	-	-	
२१	फ्लो रेगुलेटिङ्ग भल्भ	प्रति गोटा	१००५	-	-	-	-	-	-	-	-	
२२	रेगुलेटिङ्ग टि	प्रति गोटा	१०५९	-	-	-	-	-	-	-	-	
२३	रेगुलेटिङ्ग कि	प्रति गोटा	३१०	-	-	-	-	-	-	-	-	
२४	फ्लोट भल्भ	प्रति गोटा	६६४	८६८	१५९०	२४४७	४१२१	५५०२	-	-	-	
२५	फ्लोट भल्भ (वी.पी.टी.टाइप)	प्रति गोटा	२९६१	३५२२	४६२२	९८१०	१३४५१	१६८७४	-	-	-	
२६	चेक भल्भ	प्रति गोटा	४२७	६५५	१४७५	२४७८	३७०१	५४९८	-	-	-	
२७	फेरुल कक	प्रति गोटा	७३०	१३०२	२२४७	३८३३	५१०३	५९६४	७३९२	-	-	
२८	ब्रास सेडल	प्रति गोटा	-	-	-	-	-	८९६	१४२१	१७३६	१७९०	
२९	स्लस भल्भ	प्रति गोटा	-	-	-	-	६३००	८४००	१०५००	१२६००	१२८००	
३०	सी.आई.एयर भल्भ	प्रति गोटा	३२४५	४१०६	४८०९	६४७६	९१०४	१११८३	-	-	-	

१३२.० जी.आई.निप्पलहरु

क.सं.	आइटम	इकाई	स्विकृत निप्पलको विवरण र दर रेट ०७९/०८०									कैफियत
			१/२"	३/४"	१"	१.२५"	१.५"	२"	२.५"	३"	४"	इन्च
			१५	२०	२५	३२	४०	५०	६५	८०	१००	मी.मी.
१	२"लामो	प्रति गोटा	२६	३६	५०	६४	८०	१०१	१४१	१६५	४३८	
२	३"लामो	प्रति गोटा	३९	५३	७५	९६	१२०	१५२	२११	२४८	३५८	
३	४"लामो	प्रति गोटा	५१	७१	१००	१२८	१६०	२०२	२८१	३३०	४७७	
४	५"लामो	प्रति गोटा	६४	८९	१२५	१६०	२००	२५३	३५२	४१३	५९६	
५	६"लामो	प्रति गोटा	७७	१०७	१५०	१९२	२४०	३०३	४२२	४९६	७१५	
६	८"लामो	प्रति गोटा	१०३	१४२	२००	२५६	३२०	४०५	५६२	६६१	९५३	
७	९"लामो	प्रति गोटा	११६	१६०	२२४	२८८	३६०	४५५	६३३	७४३	१०७३	
८	१०"लामो	प्रति गोटा	१२८	१७८	२४९	३२०	४००	५०६	७०३	८२६	११९२	
९	१२"लामो	प्रति गोटा	१५४	२१३	२९९	३८४	४८०	६०७	८४३	९९१	१४३०	
१०	१८"लामो	प्रति गोटा	२३१	३२०	४४९	५७६	७२०	९१०	१२६५	१४८९	२१४५	
११	जि.आई. पाईपको चुरी काट्ने काम	प्रति चुरी	४०	४०	६०	८०	१००	१२०	२५०	३५०	५५०	

133 खानेपानी सम्बन्धीः स्विकृत नगर दर रेट ०७९/ ०८०

133.1 जि.आई. पाइपः

क्र.सं.	पाईप साइज/ श्रेणी	इकाई	प्रस्तावित नगर दररेट 2079/ 80			कैफियत
			हलुङ्गो	मध्यम	गह्रौ	
1	1/ 2" साइज (१५ मि.मि.)	र. मी.	192	222	249	
2	3/ 4" साइज (२० मि.मि.)	र. मी.	261	282	333	
3	1" साइज (२५ मि.मि.)	र. मी.	363	423	500	
4	1 1/ 4" साइज (३२ मि.मि.)	र. मी.	466	557	640	
5	1 1/ २" साइज (४० मि.मि.)	र. मी.		640	744	
6	2" साइज (५० मि.मि.)	र. मी.	724	885	1089	
7	२ 1/ २" साइज (65 मि.मि.)	र. मी.	998	1119	1363	
8	3" साइज (80 मि.मि.)	र. मी.	1172	1426	1618	
9	4" साइज (100 मि.मि.)	र. मी.	1631	2073	2470	
10	5" साइज (125 मि.मि.)	र. मी.		2642	3243	
11	6" साइज (१५० मि.मि.)	र. मी.		3481	3669	

133.2 PE-100 Grade HDPE पाइपः 279.15

क्र.सं.	पाईप साइज	इकाई	प्रेसर रेटिङ				
			PN6	PN10	PN12.5	PN16	
1	एच.डि.पी.ई.पाइप 20 मी.मी.	र. मी.				37	नेपाल गुणस्तरले कायम गरेको नयाँ मापदण्डको आधारमा रू २७९.१५ प्रति के जि नै कायम गरि तयार गरिएको
2	एच.डि.पी.ई. पाइप 25 मी.मी.	र. मी.			48	57	
3	एच.डि.पी.ई. पाइप 32 मी.मी.	र. मी.		64	75	93	
4	एच.डि.पी.ई. पाइप 40 मी.मी.	र. मी.		99	119	144	
5	एच.डि.पी.ई. पाइप 50 मी.मी.	र. मी.	100	153	185	222	
6	एच.डि.पी.ई. पाइप 63 मी.मी.	र. मी.	156	243	288	321	
7	एच.डि.पी.ई. पाइप 75 मी.मी.	र. मी.	224	343	407	495	
8	एच.डि.पी.ई. पाइप 90 मी.मी.	र. मी.	316	491	590	713	
9	एच.डि.पी.ई. पाइप 110 मी.मी.	र. मी.	464	727	874	1056	
10	एच.डि.पी.ई. पाइप 125 मी.मी.	र. मी.	601	936	1124	1365	
11	एच.डि.पी.ई. पाइप 140 मी.मी.	र. मी.	756	1172	1411	1707	
12	एच.डि.पी.ई. पाइप 160 मी.मी.	र. मी.	984	1529	1841	2237	
13	एच.डि.पी.ई. पाइप 180 मी.मी.	र. मी.	1242	1940	2328	2820	
14	एच.डि.पी.ई. पाइप 200 मी.मी.	र. मी.	1530	2392	2871	3483	

1.उपरोक्त जि आइ र एच.डि पी दररेटहरुमा ढुवानी र VAT समावेश गरिएको छैन ।

2.माथि उल्लेख गरिएका बाहेकका विभिन्न व्यास र प्रेसर रेटिङका पाइपहरुको हकमा HDPE पदार्थको रु. 279.15 प्रति के.जि. Ex-Factory दर मा ढुवानी जोडि पाइपको न्यूनतम Wall Thickness का आधारमा प्रति मिटरको दररेट निकाल्नु पर्नेछ ।

UPVC Pipes स्विकृत नगर दर रेट ०७९/०८०

UPVC Pipes as per NS Rate per meter (with out VAT)						PVC Screen pipe and Accessories :	
OD in mm	Size in Inch	2.5kgf/cm2	4 kgf/cm2	6 kgf/cm2	10 kgf/cm	Descriptions	Rate per Mtr .
76	1/2"	-	-	-	36	-	-
77	3/4"	-	-	-	57	-	-
32	1"	-	-	-	93	-	-
40	1 1/4"	-	-	94	141	-	-
50	1 1/2"	-	-	142	221	-	-
63	2"	-	159	226	351	-	-
75	2 1/2"	-	220	317	502	48mm pvc ribbed screen	427
90	3"	201	313	457	715	48mmpvc robo screen	537
110	4"	298	430	660	1060	48mm pvc sand trap	265
125	4 1/2"	380	593	880	1358	48mm m/f adapter	160
140	5"	469	753	1095	1712	48mm pvc st.coupler	160
160	6"	613	975	1403	2204	60mm pvc ribbed screen	538
180	7"	785	1253	1788	2809	114mm pvc ribbed screen	1448
200	8"	958	1519	2191	3473	6" pvc casing pipe	2158

१३५

PITTOM PVC-O Fittings स्विकृत नगर दर रेट ०७९ / ०८०

S.N	Particulars	PN class	Size(mm)	Rate
1	Elbow 11.25°	PN 16	110	7375
2	Elbow 11.25°	PN 16	160	16022
3	Elbow 11.25°	PN 16	200	29428
4	Elbow 11.25°	PN 16	250	44811
5	Elbow 11.25°	PN 16	315	85895
6	Elbow 11.25°	PN 16	400	160333
7	Elbow 22.5°	PN 16	110	7670
8	Elbow 22.5°	PN 16	160	16912
9	Elbow 22.5°	PN 16	200	30605
10	Elbow 22.5°	PN 16	250	46603
11	Elbow 22.5°	PN 16	315	89330
12	Elbow 22.5°	PN 16	400	166746
13	Elbow 45°	PN 16	110	8485
14	Elbow 45°	PN 16	160	18570
15	Elbow 45°	PN 16	200	33657
16	Elbow 45°	PN 16	250	55203
17	Elbow 45°	PN 16	315	97950
18	Elbow 45°	PN 16	400	189743
19	Elbow 90°	PN 16	110	12049
20	Elbow 90°	PN 16	160	24142
21	Elbow 90°	PN 16	200	43412
22	Elbow 90°	PN 16	250	72317
23	Elbow 90°	PN 16	315	112639
24	Elbow 90°	PN 16	400	225797
25	Coupler	PN 16	110	7359
26	Coupler	PN 16	160	13122
27	Coupler	PN 16	200	18968
28	Coupler	PN 16	250	35502
29	Coupler	PN 16	315	67296
30	Coupler	PN 16	400	149158

S.N	Particulars	PN class	Size(mm)	Rate
31	Coupler	PN 16	110 to 90	9194
32	Coupler	PN 16	160 to 110	15092
33	Coupler	PN 16	200 to 160	15135
34	Coupler	PN 16	250 to 200	26106
35	Coupler	PN 16	315 to 250	58313
36	Coupler	PN 16	400 to 315	121043

Class 500 PVC-O Pipes दर रेट ०७९ / ०८०

S.N	Diameter	PN 12.5	PN 16	PN 25
1	90mm	730	854	1700
2	110mm	1150	1260	2500
3	125mm	1450	1550	2700
4	140mm	1750	1950	3100
5	160mm	2200	2600	3800
6	200mm	3500	4000	5500
7	225mm	4400	4950	6700
8	250mm	5200	6300	8500
9	315mm	8500	9600	13000
10	355mm	10800	12700	16000
11	400mm	14000	16000	20500
12	450mm	19000	22500	30000
13	500mm	22700	27500	38000
14	630mm	36000	46500	57000
15	800mm	58000	75000	
16	1000mm	110000	120000	
17	1200mm	150000	175000	

Dauble Wall Corrugated (SN8) pipes for Sewage and Rain Water Non-Pressure Pipes

दर रेट ०७९ र ०८०

S.N	Size in ID	MRP SN 8
1	100mm (4inch)	650
2	150mm (6inch)	1350
3	200mm (8inch)	2000
4	250mm (10inch)	2600
5	300mm (12inch)	3650
6	400mm (16inch)	5100
7	500mm (20inch)	7000
8	600mm (24inch)	11000
9	800mm (32inch)	16000
10	1000mm (40inch)	23400

१३६ Interlock Paver/Interlock Precast Block स्विकृत नगर दर रेट ०७९ / ०८०

S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	21.50	12,140.04
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	23.50	13,269.35
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	19.50	14,013.66
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	21.00	15,091.63
S.No.	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per SQM (Ex VAT)**
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	140.00	1,889.30
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	165.00	2,226.68
S.No.	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per SQM (Ex VAT)**
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	115.00	1,551.93
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	130.00	1,754.35
S.No.	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per SQM (Ex VAT)**
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	98.00	1,322.51
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	111.00	1,497.95
S.No.	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per SQM (Ex VAT)**
6	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	36.00	1,069.11
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	43.00	1,277.00
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	46.00	1,366.09
7	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	42.00	1,247.30
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	49.00	1,455.18
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	52.00	1,544.28

१३६ Interlock Paver/Interlock Precast Block स्विकृत नगर दर रेट ०७९ / ०८०

S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
8	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	51.00	1,514.58
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	58.00	1,722.46
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	61.00	1,811.55
9	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	61.00	1,811.55
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	68.00	2,019.44
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	71.00	2,108.53
S.No.	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per SQM (Ex VAT)**
10	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	36.00	1,801.22
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	43.00	2,151.46
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	46.00	2,301.56
11	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	77.00	3,852.62
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	85.00	4,252.89
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	88.00	4,402.99
S.No.	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per SQM (Ex VAT)**
12	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	41.00	1,509.21
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	48.00	1,766.88
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	51.00	1,877.31
13	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	58.00	2,134.98
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	66.00	2,429.46
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	69.00	2,539.89
S.No.	**Description of Items**	**MRP Per Pcs (Ex VAT)**	**MRP Per SQM (Ex VAT)**
14	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	43.00	1,489.83
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	50.00	1,732.36
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	53.00	1,836.30
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	61.00	2,409.50

१३६ Interlock Paver/Interlock Precast Block स्विकृत नगर दर रेट ०७९ / ०८०

S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
15	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	68.00	2,686.00
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	71.00	2,804.50
16	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	96.00	3,792.00
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	105.00	4,147.50
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	109.00	4,305.50
17	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	116.00	4,582.00
	Zigzag Interlock Pavers Single Color with compressive strength M55or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	128.00	5,055.99
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	133.00	5,253.49
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
18	Romba 3D Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	56.00	1,652.82
	Romba 3D Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	63.00	1,859.42
	Romba 3D Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	67.00	1,977.48
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
19	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	66.00	1,864.16
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	76.00	2,146.61
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	80.00	2,259.59
20	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	72.00	1,799.67
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	82.00	2,049.63
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	86.00	2,149.61
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
21	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	18.00	1,800.06
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	21.00	2,100.07
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	24.00	2,400.08
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
22	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	71.00	1,893.09
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	78.00	2,079.74
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	80.00	2,133.06

१३६ Interlock Paver/Interlock Precast Block स्विकृत नगर दर रेट ०७९ / ०८०

S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
23	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	73.00	1,824.67
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	82.00	2,049.63
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	86.00	2,149.61
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
24	Mtrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	250.00	1,562.89
	Mtrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	295.00	1,844.21
	Mtrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	330.00	2,063.01
25	Mtrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	375.00	2,344.34
	Mtrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	435.00	2,719.43
	Mtrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	485.00	3,032.01
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
26	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	1,750.00	1,826.51
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2,100.00	2,191.81
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2,390.00	2,494.49
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
27	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	2,875.00	2,753.22
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,162.50	3,028.54
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	3,450.00	3,303.86

१३६ Interlock Paver/Interlock Precast Block स्विकृत नगर दर रेट ०७९ / ०८०

S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per Cubic Meter (Ex VAT)
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per SQM (Ex VAT)
28	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	460.00	1,915.50
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
29	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	365.00	1,215.45
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	395.00	1,315.35
30	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	330.00	1,098.90
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	350.00	1,165.50
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
31	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	365.00	1,460.00
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	395.00	1,580.00
S.No.	Description of Items	MRP Per Pcs (Ex VAT)	MRP Per RM (Ex VAT)
32	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	430.00	1,431.90
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	455.00	1,515.15
S.No.	Description of Items	MRP Per Set (Ex VAT)	MRP Per RM (Ex VAT)
33	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	650.00	2,164.50

Note:

1 Above quoted price is only for product.

2 Above price is inclusive of transportation inside district.

137 AAC Block स्विकृत नगर दर रेट ०७९/ ०८०

AAC BLOCKS

S.N	Description of Goods	Quantity	Rate Per CBM	Rate per pcs
			Rates	Exclusive 13% VAT
1.0	600X200X200 (0.024 CBM/block)	1 CBM	12025	288
2.0	600X200X150 (0.018 CBM/block)	1 CBM	12025	216
3.0	600X200X100 (0.018 CBM/block)	1 CBM	12025	144

नोट :-

१) माथि उल्लेखित दर रेटमा मूल्य अभिवृद्धि कर (भ्याट) समावेश गरिएको छैन ।

२) माथि उल्लेखित आइटम बाहेक अन्य आइटमको दररेट छिमेकी तथा अन्य जिल्लाको दररेट कायम गरीने छ ।

३) निर्माण गर्दा पानीको आवश्यकता पर्ने काममा कार्य क्षेत्रको वरिपरि एक (१) कि.मी भित्र पानी उपलब्ध हुन नसक्ने भएमा पानीको मुल्य प्रती लिटर चालीस (४०) पैसा हुनेछ ।

४) ढुवानी भाडा हिसाब गर्दा सामाग्री खरिद हुने स्थान देखी निर्माण/आपुर्ति स्थल सम्मको दुरी अनुसार हिसाब हुने ।

५) बोट बिरुवा तथा कृषी, पशु जन्य सामाग्रीको हकमा सम्बन्धीत तालुक निकाएको दररेट भए सोही दररेट लागु हुनेछ ।

६) (डण्डी सि.न.४, ग्याबिन जाली सि.नं.२२.४ क , आल्मुनीयम ९० सिरीजमा सि.नं.१२८ ख) रुपन्देहीको जिल्ला दररेटलाइ आधारमानी कायम गरीएको छ ।